

C.S. OSBORNE & COMPANY

Established 1826



Leather Working Tools

Catalog No. 60

C.S. OSBORNE & CO.

ESTABLISHED 1826
Factory and Main Office
125 Jersey Street
Harrison, N.J. 07029 - U.S.A.
Fax #(973) 484-3621
E-Mail address: cso@csosborne.com

**TOOLS FOR PROFESSIONAL LEATHERWORK, SADDLERY, LEATHERCRAFT,
THE SHOE INDUSTRY AND VARIOUS CRAFTS**



Since 1826, the Osborne family has dedicated itself to providing the very finest tools. Ably assisted by employees who average over ten years of service to the company, the eighth generation of the Osborne family still manages the firm and continues the tradition requiring strict adherence to the highest standards of quality and service. This dedication continues to put the best possible tools in the hands of the professional.

OUR PRODUCTS

All orders are accepted on the basis of price in effect at time of shipment.

OUR GUARANTEE

We will replace, free of charge, any tool which may prove unsatisfactory in performance if sent for inspection, transportation prepaid. Tools which are known to have given reasonable service, or have been misused, or damaged, will not be considered defective.

INDEX

Adjustable Gouge	25	Hammers		Nippers, Cutting	38, 39
Arch Punches	6, 7	Hammer, Fitter's	14	Palm, Sewing	42
Awls		Hammer, Glazier	14	Pincers	38
Awl, All Purpose	44	Hammer, Leather working	14	Pins	48
Awl, Automatic	42	Hammer, Magnetic Tack	15	Pliers	
Awl, Badminton	44	Hammer, Riveting	15	Antique Nail	37
Awl, Collar	43	Hammer, Saddler's	14	Cantle	38
Awl, Lacing	43	Hammer, Shoe	14	Canvas or Leather	39
Awl, Moccasin	44	Hammer, Split Head	12	Duckbill	38
Awl, Saddler's	45	Hammer, Wood Heel	15	Eyelet	17
Awl, Scratch	44	Hand Press & Dies	21	Lacing	43
Awl, Sewing	45	Heel Remover	37	Pricking Chisel	31
Awl, Stabbing	44, 45	Kits		Punches	
Awl, Tennis	44	Extension Blades w/handle	29	Punch, Arch	6
Basket Weaving Tools	40	Grommet	20	Punch, Arch Sets	7
Belt Punches	8	Needle	51	Punch, Bag or Oblong	10, 11
Blades		Snap Set	18	Punch, Belt	8
Draw Gauge	36	Knives		Punch, Custom	11
Extension	29	Knife, Bevel Point	27	Punch, Drive	8
Gasket Cutter	34	Knife, Broad Point	27	Punch, Mini-Set	9
Lace Cutter	43	Knife, Curve Lip Shoe	27	Punch, Multi-Use	10
Skife	29	Knife, Hawkbill	29	Punch, Oval Drive	10
Splitting Machine	36	Knife, Head	28	Punch, Pippin	11
Bone Folders	23	Knife, Incising	31	Punch, Revolving	4, 5
Bracelet Bender	31	Knife, Lead Glass	29	Punch, Rosette	11
Caliper, Outside	22	Knife, Round	28	Punch, Self-Centering Sets	9
Caning Tools	40	Knife, Seam Ripper	27	Punch, Spring	4, 5
Chisels		Knife, Sharp Point	27	Punch, Strap End	10, 11
Caning	40	Knife, Shoe, Square Point	27	Punch, Ventilator	11
Pricking	31	Knife, Skiving	29	Push Beveler	34
Stitching	30	Knife, Sloyd	29	Regulators	48
Thonging	30	Lace Cutter	43	Rivets / Setters	16
Claw Tools	35	Lacing Plier	43	Rules	
Creasers	25	Lasting Pincers	38	Aluminum	41
Cutters		Mallets		Wood	41
Gasket	34	Hickory	13	Saddlers' Seat Stuffing Steel	25
Grommet Hole	19	Hickory Barrel	13	Scratch Compass	22
Lace	43	Polymallet	12	Setters	
Swivel	31	Rawhide	12	Eyelet	17
Cutting Nippers	38, 39	Rubber	13	Grommet	19, 20
Cutting Pad	9	Split Head	12	Rivet	16, 17
Decorative Nails	37	Mauls		Snaps	18
Design Edge Lifter	34	Rawhide	13	Sewing Palm	42
Dies		Modelers	32, 33	Sharpening Stones/Video	26
Grommet Inserting	19	Needle Chart	46	Shears	41
Midget Grommet	20	Needles		Sheaths, Leather	28
W-1 Machine	21	Needle, Bent/Straight Pack	50	Skife	29
Divider, Wing	22	Needle, Billards	48	Snaps	18
Draw Gauge	36	Needle, Bolster	50	Snap Sets	18
Edge Tools	24, 25	Needle, Caning	40	Space Marker	34
Embossing Wheels/Carriage	34	Needle, Carpet	48	Splitting Machines	36
Extension Blade Handle	29	Needle, Chenille	47	Staple & Tack Removers	35
Eyelet Remover/Setter	17	Needle, Collar	48	Stippler	34
Eyelet & Rivet Anvil	17	Needle, Curved	49	Stitching Chisels	30
Fid	43	Needle, Flocking	50	Swivel Cutters	31
Gasket Cutter	34	Needle, For Automatic Awl	42	Tacks	37
Glue Sticks	43	Needle, Glover's	47	Thread, Waxed	42
Grommets	19, 20	Needle, Harness	47	Thimbles, Open and Closed	42
Grommet, Hole Cutter	19	Needle, Kits	51	Thonging Chisels	30
Grommet, Home Kit	20	Needle, Lacing	43	Tracers	33
Hafts		Needle, Lampshade	49	Tuck Wax Iron	37
Awl Haft	44, 45	Needle, Mattress	49	Ventilator Punch	11
Palm Awl	45	Needle, Pearl Sewing/Stringing	47	Wing Dividers	22
Peg Awl	45	Needle, Sailmaker's	50	Zipper Jig	31
Sewing	45	Needle, Spring Eye	50	Zipper Pliers	31
Shoe Awl	45	Needle, Smyrna	47	Zipper Stop Tops	31
		Needle, Straight	50		
		Needle, Tapestry	47		

All orders are accepted on the basis of price in effect at time of shipment

NUMERICAL INDEX

OSBORNE NO.	PAGE NO.	OSBORNE NO.	PAGE NO.	OSBORNE NO.	PAGE NO.	OSBORNE NO.	PAGE NO.	OSBORNE NO.	PAGE NO.	OSBORNE NO.	PAGE NO.
A1	19	7	29	117	25	216	19	464	23	559-5	47
B1, B2	19	8, 8-B	43	120 ½	35	220	5	465	23	560	47
B1S	20	8BLTN	41	121	35	222	15	467	32	561	47
Custom Punches	11	10	38	122	35	223	5	469	29	562	47
DB1, DB1-S	38	12	25	123 ½	35	227	15	471	32	563	47
G1	19	18	44	124	35	229	18	472	32	564	47
G1S	20	20-C	25	125	24	230-SET	18	473	32	565	47
G2	19	21	25	126	24	233	38	474	33	601	37
K-1	51	24-24	17	127	24	235	20	475	33	603	9
K-3	51	31	45	127.5-B, S	24	236	15	476	33	609	31
K-4	51	32	45	128	25	237	15	477	43	622	11
K-5	51	34	22	129	35	238	15	478	44	630	31
K-6	51	38-C	22	130	25	245,245MM	8	479	27	680-685	37
K-7	51	40-52	45	133-B, S	24	248	5	481-484	30	689	37
K-10	51	50	34	139	11	249	39	485	34	700	30
K-11	51	51½	36	140,140-A	44	250	39	487	31	701	33
K-12	51	54-59	45	140 -H	44	251	39	491-494D	30	702	33
K-14, K-14MM	7	55	14	141	45	256	17	496	12	704	33
K-15	51	57	15	142	45	257	17	498	30	708	41
K-16	7	60SE	41	143	45	259	29	500	19	727	23
K-156	9	62	15	144	45	266	42	501	49	727A	23
K-157	9	65	14	145	45	299N,299PG	39	501 ½	49	741	49
K-159	9	66	14	147	8	301	38	501X	49	799	37
K229	18	68	37	149, 149MM	6	306½	48	502	49	802	41
K230	18	70	28	0150	10	393	13	502 ½	49	925	29
K231	20	71	28	150	10	395	12	502X	49	925-D	29
K232	20	72	28	151	10	396	13	503	49	925-100	29
K234	20	73	29	152	10	400	11	504	49	928	45
K235	20	74	28	153	4	405	40	505	50	1000	43
K-245	8	75	28	154	11	406	40	506	50	1003	43
K257-00	20	76	27	155	4	407	40	507	50	1012	31
K-460	29	76½	27	158	10	409	49	508	50	1013	31
K-500	19	77	27	160	41	411 ½	43	508-½ SE	50	1014	31
K4708	18	78	27	161	41	413	42	509	50	1020	27
K4713	18	78½	27	164	41	421	43	510	42	1021	26
K4717	18	79½	27	167	17	423	40	511	42	1023	26
K6708	18	80	38	168	17	424-B, 424-S	40	513	49	1024	26
M32, M34	44	81	27	169	16	425	29	513X	49	1025	26
Needle Chart	46	84	36	170	16	443	17	514	49	1026	26
N1	19	86, 86-A	36	181	48	444	31	515	48	1028	26
N1S	20	89.5	13	189	48	446	31	516	48	1029	26
N2	19	90	13	190	48	447	34	517	47	1066 B	14
T-10,T-11	44	91	39	193	48	448	34	518	47	1700	16
W-1	21	92½	48	196	12	452	30	520	48	1999	14
WDIGRC	21	93	38	197	13	453	17	521-40MM	48	2000	43
WDIRI41	21	94	38	198	48	454	32	553	49	2003	43
WDIV1	21	98,98-S	38	200	35	456	17	554	50	3377	39
WDISN201	21	103 ½	43	201	35	457	34	555	50		
WDISN41	21	105	11	202	35	458	32	556	50		
4	44	106	22	216	19	459	34	557	50		
6	29	112	22	217	19	460	29				



REVOLVING PUNCH - for professional and industrial use



Osborne No. 155

Six tube punch made with tubes 0, 1, 2, 3, 5 & 7. This punch is known as the best Revolving Punch made. The frame is made of forged steel, highly polished. Cutting tubes are turned from special carbon tool steel and threaded to allow easy replacement. Each tube is individually hardened. The throat distance from the cutting tube to the back of jaw is 1 1/2". Weight each is 14 oz.

Osborne No.	Description	UPC No.
155 0-7	Revolving punch	52012
155-A	Extra anvil	52052
155-HS	Extra handle spring	02070
155-SP	Extra side spring	02072
155T-(size)	Extra tubes	-----
155T 0-7	Set of replacement tubes	02044

Note: Numbers 155, 153 and 223 tubes are not interchangeable. No. 155 punch takes tubes up to size 6 and 7 only as indicated on the cylinder of the punch. Punch tubes measure 3/4" overall.

SPRING PUNCH - for professional and industrial use



Osborne No. 153

Forged steel frame. Highly polished. Fitted with replaceable screw tubes. The reach or distance from the cutting tube to the back of jaw is 1 1/2". Made in sizes 000 to 10. Weight each 14 oz.

Osborne No.	Description	UPC No.	Osborne No.	Description	UPC No.
153-000	Spring punch	52110	153-6	Spring punch	52126
153-00	Spring punch	52112	153-7	Spring punch	52128
153-0	Spring punch	52114	153-8	Spring punch	52130
153-1	Spring punch	52116	153-9	Spring punch	52132
153-2	Spring punch	52118	153-10	Spring punch	52134
153-3	Spring punch	52120	153-A	Extra anvil	52050
153-4	Spring punch	52122	153-HS	Handle spring	02182
153-5	Spring punch	52124	153T-(sz)	Extra tubes	Below

Note: There are three different frames. Tubes sizes 000 to 7 fit the same frame and are interchangeable. Tube 8 fits No. 8 frame only. Tubes 9 and 10 fit the same frame and are interchangeable. Punch tubes measure 1-1/8" overall.

ACTUAL SIZES OF CUTTING TUBES FOR OSBORNE NOS. 153 AND 155 PUNCHES

153 Tubes UPC No.	52150	52152	52154	52156	52158	52160	52162	52164	52166	52168	52170	52172	52174
155 Tubes UPC No.	-	52022	52024	52026	52028	52030	52032	52034	52036	52038	-	-	-
Actual Size	●	●	●	●	●	●	●	●	●	●	●	●	●
Size No.	000	00	0	1	2	3	4	5	6	7	8	9	10
Diameter Size	3/64	1/16	5/64	3/32	7/64	1/8	5/32	11/64	3/16	13/64	1/4	9/32	5/16



REVOLVING PUNCH - Nickel plated

Osborne No. 223

A fine quality pressed frame revolving punch with drive tubes. All tubes are heat treated to give long wear. Furnished with tubes sizes: 0 (5/64"), 1 (3/32"), 2 (7/64"), 3 (1/8"), 4 (5/32") & 6 (3/16"). Packaged on hang up blister packed board 11" x 4".



Length (inches)	Weight ea (oz)	UPC No.
8 1/2	6	02290

Replacement tubes are also available. Please specify size when ordering.

Extra tubes	0	1	2	3	4	6
UPC No.	52222	52224	52226	52228	52230	52234

SPRING PUNCH - Zinc plated

Osborne No. 220

A sturdy pressed steel punch with replaceable drive tubes. Non-removable anvil. Frame furnished with size 0 tube or size 00 tube.



Osborne No.	Length (inches)	Throat depth (inches)	Weight each (oz)	UPC No.
220-00	8	1 1/4	7	52260

Extra tubes	00	0	1	2	3	4	5	6	7
UPC No.	52220	52222	52224	52226	52228	52230	52232	52234	52236

SPRING PUNCH - Zinc plated

Osborne No. 248

A sturdy pressed steel punch with easily replaceable tubes. Compact, ruggedly constructed. Fits any hand comfortably.



Osborne No.	Length (inches)	Throat depth (inches)	Weight each (oz)	UPC No.
248-00	6	3/4	4	52270
248-0				52272

Extra tubes	00	0	1	2	3	4
UPC No.	02276	02278	02280	02282	02284	02286



These punches should be used on a wood or plastic cutting block or the Osborne No. #603 Cutting pad. The use of an Osborne wooden or rawhide mallet or rawhide maul is recommended. Steel hammers are not recommended.

ARCH PUNCH - Original and correct design for cutting

Osborne No. 149



Meets Government Standards

Osborne arch punches are drop forged in one piece from the finest special carbon steel in sizes from 1/8" to 2 1/8" diameter. Larger sizes are made with our properly engineered two piece welded construction. A unique feature of the Osborne arch punch is the inside taper which permits the punchings to clear easily through the barrel. Punches have fully polished barrel.

The cutting edge is fully hardened all the way through and properly finished to provide long use trouble free punching. There is no other Hollow Punch that can compare.

Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.
1/8	- 2	01008	1 1/2	2 -	0105	2 7/8	1 15	01096	4 1/4	5 -	01140	5 5/8	5 14	01172
3/16	- 2	01010	1 9/16	1 14	01054	2 15/16	2 11	01098	4 5/16	5 -	01142	5 11/16	5 14	01173
1/4	- 2	01012	1 5/8	1 14	01056	3	2 12	01100	4 3/8	5 1	01144	5 3/4	5 14	01174
5/16	- 2	01014	1 11/16	1 8	01058	3 1/16	2 5	01102	4 7/16	5 1	01146	5 13/16	5 15	01175
3/8	- 3	01016	1 3/4	2 6	01060	3 1/8	2 9	01104	4 1/2	5 1	01148	5 7/8	5 15	01176
7/16	- 5	01018	1 13/16	2 5	01062	3 3/16	2 13	01106	4 9/16	5 2	01150	5 15/16	6 -	01177
1/2	- 7	01020	1 7/8	2 4	01064	3 1/4	2 11	01108	4 5/8	5 4	01152	6	6 -	01178
9/16	- 7	01022	1 15/16	2 2	01066	3 5/16	5 4	01110	4 11/16	5 4	01154	6 1/16	6 -	01179
5/8	- 8	01024	2	3 13	01068	3 3/8	4 11	01112	4 3/4	5 5	01156	6 1/8	6 1	01185
11/16	- 8	01026	2 1/16	3 8	01070	3 7/16	4 11	01114	4 13/16	5 6	01158	6 3/16	6 1	01186
3/4	- 9	01028	2 1/8	3 13	01072	3 1/2	4 12	01116	4 7/8	5 6	01160	6 1/4	6 2	01187
13/16	- 8	01030	2 3/16	1 10	01074	3 9/16	2 5	01118	4 15/16	5 7	01161	6 5/16	6 2	01188
7/8	- 12	01032	2 1/4	2 7	01076	3 5/8	3 13	01120	5	5 8	01162	6 3/8	6 3	01189
15/16	- 12	01034	2 5/16	2 7	01078	3 11/16	3 15	01122	5 1/16	5 8	01163	6 7/16	6 3	01190
1	- 13	01036	2 3/8	2 8	01080	3 3/4	4 8	01124	5 1/8	5 10	01164	6 1/2	6 3	01191
1 1/16	- 12	01038	2 7/16	2 8	01082	3 13/16	3 12	01126	5 3/16	5 10	01165	6 9/16	6 4	01192
1 1/8	- 15	01040	2 1/2	2 10	01084	3 7/8	4 2	01128	5 1/4	5 11	01166	6 5/8	6 4	01193
1 3/16	- 15	01042	2 9/16	2 14	01086	3 15/16	3 12	01130	5 5/16	5 11	01167	6 11/16	6 4	01194
1 1/4	1 3	01044	2 5/8	2 15	01088	4	4 12	01132	5 3/8	5 12	01168	6 3/4	6 5	01195
1 5/16	1 5	01046	2 11/16	2 15	01090	4 1/16	4 5	01134	5 7/16	5 12	01169	6 13/16	6 5	01196
1 3/8	1 9	01048	2 3/4	3 1	01092	4 1/8	3 14	01136	5 1/2	5 13	01170	6 7/8	6 5	01197
1 7/16	1 9	01050	2 13/16	2 8	01094	4 3/16	4 6	01138	5 9/16	5 13	01171	7	6 6	01199

Metric stock sizes shown below:

Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.
2	- 3	01204	14	- 6	01228	26	1 -	01252	38	2 -	01276	50	3 12	01300
3	- 3	01206	15	- 8	01230	27	1 -	01254	39	2 -	01278	51	4 -	01302
4	- 3	01208	16	- 8	01232	28	1 2	01256	40	1 13	01280	52	4 -	01304
5	- 3	01210	17	- 9	01234	29	1 2	01258	41	2 12	01282	53	4 -	01306
6	- 3	01212	18	- 9	01236	30	1 2	01260	42	2 12	01284	54	4 8	01308
7	- 3	01214	19	- 11	01238	31	1 6	01262	43	3 -	01286	55	4 8	01310
8	- 3	01216	20	- 10	01240	32	1 4	01264	44	3 -	01288	56	4 12	01312
9	- 5	01218	21	- 12	01242	33	1 6	01266	45	3 -	01290	57	4 12	01314
10	- 5	01220	22	- 12	01244	34	1 6	01268	46	3 -	01292	58	5 -	01316
11	- 5	01222	23	- 12	01246	35	1 8	01270	47	3 8	01294	59	5 -	01318
12	- 5	01224	24	1 -	01248	36	1 10	01272	48	3 8	01296	60	5 -	01320
13	- 6	01226	25	1 -	01250	37	1 8	01274	49	3 12	01298			



These punches should be used on a wood or plastic cutting block or the Osborne No. #603 Cutting pad. The use of an Osborne wooden or rawhide mallet or rawhide maul is recommended. Steel hammers are not recommended.

ARCH PUNCH SETS

Osborne No. K-14

This set of seven arch punches includes the sizes most widely used. They are put up in a sturdy, easy to use canvas tool roll as shown.



1 each of following sizes Osborne No. 149 - Arch Punch:									Weight per set (lbs)	UPC No.
K-14	Sizes (inches)	1/4	3/8	1/2	5/8	3/4	7/8	1	4	01180

Osborne No. K-14MM

This set of seven arch punches includes the most popular millimeter sizes. They are put up in a sturdy, easy to use canvas tool roll as shown.



1 each of following sizes Osborne No. 149 - Arch Punch:									Weight per set (lbs)	UPC No.
K-14MM	Sizes (mm)	6	8	10	12	16	20	25	2 1/2	01179

Osborne No. K-16

This set of seven arch punches of sixteenth sizes are incremented by 1/8" starting with 3/16". They are put up in a sturdy, easy to use canvas tool roll as shown.



1 each of following sizes Osborne No. 149 - Arch Punch:									Weight per set (lbs)	UPC No.
K-16	Sizes (inches)	3/16	5/16	7/16	9/16	11/16	13/16	15/16	4	01181



These punches should be used on a wood or plastic cutting block or the Osborne No. #603 Cutting pad. The use of an Osborne wooden or rawhide mallet or rawhide maul is recommended. Steel hammers are not recommended.

ROUND OR DRIVE PUNCH

Osborne No. 147



These Drive or Saddlers' Punches are **drop forged** from finest special carbon steel, carefully hardened, with polished barrel. The hole tapers back from the cutting edge so that the punchings clear freely and require only a light blow with a mallet to cut with ease.

Actual Size																	
Size No.	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Diameter Size	5/64	7/64	1/8	9/64	5/32	11/64	3/16	7/32	1/4	9/32	5/16	3/8	13/32	7/16	15/32	33/64	9/16
Weight ea (oz)	2	2	2	2	2	2	2	3	3	3	3	4	4	6	6	7	9
UPC No.	51410	51412	51414	51416	51418	51420	51422	51424	51426	51428	51430	51432	51434	51436	51438	51440	51442

BELT PUNCH - Round shank

Osborne No. 245

Hardened cutting edge - milled clearing hole. Available in imperial and metric sizes.



Size No.	00	0	1	2	3	4	5	6	7	8	9
Diameter (inches)	1/16	5/64	3/32	1/8	9/64	5/32	11/64	3/16	13/64	7/32	1/4
Weight oz.	1	1	1	1	1	1	1	1	1	1	1
UPC No.	51460	51462	51464	51466	51468	51470	51472	51474	51476	51478	51480

Size No.	10	11	12	13	14	15	16	1/2	9/16	5/8	3/4
Diameter (inches)	17/64	9/32	5/16	11/32	3/8	13/32	7/16	-	-	-	-
Weight oz.	3	3	3	4	4	4	4	7	9	9	12
UPC No.	51482	51484	51486	51488	51490	51492	51494	51496	51500	51498	51536

Metric

Diameter (millimeters)	2mm	3mm	4mm	5mm	6mm	7mm	8mm	9mm	10mm	11mm
Weight oz.	1	1	1	1	1	1	1	1	1	3
UPC No.	51502	51504	51506	51508	51510	51512	51514	51516	51518	51520

Diameter (millimeters)	12mm	13mm	14mm	15mm	16mm	17mm	18mm	19mm	20mm
Weight oz.	3	3	3	4	4	4	4	4	4
UPC No.	51522	51524	51526	51528	51530	51532	51534	51536	51538

BELT PUNCH SET



Osborne No. K-245

Kit contains the most frequently used sizes. Packed in a sturdy plastic pouch.

1 each of following sizes Osborne No. 245 - Belt Punches						
Sizes	2	4	6	9	12	14
Diameter (inches)	1/8	5/32	3/16	1/4	5/16	3/8
Weight per set (oz)	13					
UPC No.	01520					



These punches should be used on a wood or plastic cutting block or the Osborne No. #603 Cutting pad. The use of an Osborne wooden or rawhide mallet or rawhide maul is recommended. Steel hammers are not recommended.

MINI-PUNCH SET



Osborne No. K-157

A special punch set for cutting small, precise holes in soft materials where throated or plier punches won't reach. Set has a round handle with slot inside to clear punchings. Handle is threaded to accommodate the seven replaceable screw tubes sizes which are shown below. See page 4 at bottom for actual sizes of cutting tubes. Set consists of seven tubes and handle. Sets is carded for display purposes. **REPLACEMENT TUBES** are also sold individually Osborne No. 153T. Specify size when ordering.

Tube size No.	0	1	2	3	4	5	6	Weight per set (oz)	UPC No.
Tube size (inches)	5/64	3/32	7/64	1/8	5/32	11/64	3/16	8	01860

SELF-CENTERING PUNCH SET



Osborne No. K-156

This handy and versatile kit contains threaded handle with self-centering pointed plunger. The threaded handle will accommodate nine inter-changeable threaded cutting tubes. The punches in this set will cleanly cut leather, rubber, paper, plastics and other soft materials. The self-centering point makes these punches ideal for cutting concentric washers in small quantities by hand. Sizes of punches listed below. All cutting edges properly hardened. The only professional tool like it. Comes in a sturdy plastic box for storage.

Tube sizes (inches)	Weight per set (lbs)	UPC No.
1/4 5/16 3/8 7/16 1/2 5/8 3/4 7/8 1	2 1/4	01870

REPLACEMENT PARTS			
K156-H	Extra handle	K-156T 1/2	Extra tube
K-156T 1/4	Extra tube	K-156T 5/8	Extra tube
K-156T 5/16	Extra tube	K-156T 3/4	Extra tube
K-156T 3/8	Extra tube	K-156T-7/8	Extra tube
K-156T 7/16	Extra tube	K-156T 1	Extra tube

SELF-CENTERING PUNCH SET



Osborne No. K-159

Similar punch set as above item, but in larger sizes. Comes in a sturdy cardboard box.

Tube sizes (inches)	Weight per set (lbs)	UPC No.
1-1/8 1-1/4 1-3/8 1-1/2	4	01850

CUTTING PAD



Osborne No. 603

Made of a special formula resilient vinyl plastic, these tough cutting pads are ideal for use with Osborne Punches. They are long wearing and can be used on both sides. Cutting pads should be used on a solid base for best results. The self-healing surface absorbs cuts and helps prevent scars from forming on the smooth face of the pad.

Size (inches)	Weight ea (lbs) (oz)	UPC No.
10 x 10 x 3/8	2 4	67692



These punches should be used on a wood cutting block or Osborne No. #603 Cutting pad. The use of an Osborne wooden or rawhide mallet or maul is recommended. Steel hammers are not recommended. Every Osborne edge is hand file sharpened and is true.

STRAP END PUNCH



Osborne No. 150

STRAP END PUNCH - English point



Osborne No. 0150

Hardened and polished edges.

Size (inches)	1/4	3/8	1/2	5/8	3/4	7/8	1	
Weight ea (oz)	2	3	4	4	5	6	7	
150 UPC No.	01710	01712	01714	01716	01718	01720	01722	
0150 UPC No.	01670	01672	01674	01676	01678	01680	01682	
Size (inches)	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2
Weight ea (oz)	7	8	9	9	9	10	14	16
150 UPC No.	01724	01726	01728	01730	01732	01734	01735	01736
0150 UPC No.	01684	01686	01688	01690	01691	01692	01693	01694

MULTI-USE STRAP END PUNCH



Osborne No. 152

Cuts a clean end on belts and straps. Hardened and polished edge. Cuts up to 2" width.

Weight ea (oz)	UPC No.
12	01796

BAG OR OBLONG PUNCH



Osborne No. 151

Bag or Oblong punches. Taper clearance. Polished barrel, hardened and polished edge. Used extensively by leather bag and strap manufacturers.

OVAL DRIVE PUNCH




Osborne No. 158

Like our other punches, No. 158 is made of the best grade of alloy steel, carefully tempered with polished edge. The hole tapers back from the cutting edge so that punchings can clear freely. Polished barrel. Made in sizes 1 to 16 as shown below.

Size No.	Dimension (inches)	UPC No.	Size No.	Dimension (inches)	UPC No.	Size No.	Dimension (inches)	UPC No.	Size No.	Dimension (inches)	UPC No.
1	1/8 x 3/32	01812	5	7/32 x 5/32	01820	9	11/32 x 7/32	01828	13	17/32 x 11/32	01836
2	5/32 x 7/64	01814	6	1/4 x 5/32	01822	10	3/8 x 1/4	01830	14	9/16 x 3/8	01838
3	3/16 x 1/8	01816	7	9/32 x 6/32	01824	11	7/16 x 5/16	01832	15	19/32 x 7/16	01840
4	6/32 x 1/8	01818	8	5/16 x 7/32	01826	12	1/2 x 5/16	01834	16	5/8 x 7/16	01842

Actual size



Actual size	Length (inches)	Width (inches)	Wt. ea (oz)	UPC No.
	1/4	5/64	3	01760
	3/8	3/32	4	01762
	1/2	7/64	4	01764
	5/8	1/8	5	01766
	3/4	9/64	5	01768
	7/8	5/32	7	01770
	1	5/32	7	01772
	1 1/8	11/64	9	01774
	1 1/4	11/64	9	01776
	1 3/8	3/16	10	01778
	1 1/2	13/64	13	01780
	1 5/8	7/32	13	01782
	1 3/4	7/32	13	01784
	1 7/8	1/4	16	01786
	2	1/4	22	01788



PIPPIN PUNCHES - Drop forged. Highly polished. Hardened edges.

Osborne No. 105-1 (Round punch)



Size No.	Overall length (inches)	Overall cut (inches)	Length of cut (inches)	Diameter of hole (inches)	Weight ea (oz)	UPC No.
1	4 3/8	7/8	5/8	1/4	2	51051
2				1/8 (x 3/16 long)		51052

Osborne No. 105-2 (Oval punch)



ROSETTE CUTTER

Osborne No. 139

Polished and hardened edges.



Size No.	Weight ea (oz)	Overall length (inches)	UPC No.
1	10 1/2	6	01390
1 1/4	11	6	01392
1 1/2	12 1/2	6 1/8	01394
1 3/4	14	6 1/2	01396
2	16	6 1/2	01398
2 1/4	17	6 1/2	01389
2 1/2	18	6 1/2	01400



Cutters are also available without handles.

STRAP END PUNCH

Osborne No. 154



Size No.	Weight ea (oz)	Overall length (inches)	UPC No.
1	10 1/2	6 1/8	01702
1 1/2	12 1/2	6 1/8	01704
1 3/4	14	6 1/2	01706
2	16	7	01708
2 1/2	18	7	01711

CUSTOM SHAPE PUNCHES

MOUND TOOL COMPANY



For punches in special shapes, designs and sizes, please contact the above company. An affiliate of C. S. Osborne & Co., Mound Tool Co. is located at 9301 Watson Ind. Park. St. Louis, MO 63126, USA. Their telephone number is 1-314-968-3991, fax number is 1-314-968-1240. E-mail address: info@moundtool.com

VENTILATOR PUNCH

Osborne No. 622

Used to punch ventilator holes in leather, vinyl, etc. with holes illustrated in the pattern insert. Uses Osborne No. 248T-2 tubes.



Overall Length (inch)	Holes diameter (inch)	Weight ea (oz)	UPC No.
5 1/4	3/32	10	02198

OBLONG PUNCH

Osborne No. 400

Polished barrel with hardened cutting edge. Hole tapers inside for easy punching clearings.



Size No.	Size (inches)	Weight ea (oz)	UPC No.
1	11/16 x 3/16	5	01644
2	7/8 x 1/4	6	01646



SPLIT HEAD HAMMER

Osborne No. 395

Ideal for use with punches, grommet dies and wherever a cushioned blow is desired. No trouble to replace faces. Just loosen the safety nut, remove the worn face, insert replacement and tighten. Long wearing. Rawhide, nylon, urethane and copper faces available. Rawhide faces supplied if none is specified.



395F-(size)R
Rawhide



395F-(size)N
Nylon



395F-(size)U
Urethane



395F-(size)C
Copper

Osborne No.	Description	Weight pair (lbs)	(oz)	Diameter of face (inches)	Length of head (inches)	UPC No.
395-1R	Sz. 1 - Rawhide	1	9	1 1/4	3 5/8	11090
395-2R	Sz. 2 - Rawhide	2	-	1 1/2	4 1/4	11094
395-3R	Sz. 3 - Rawhide	2	15	1 3/4	4 7/8	11098
395-1N	Sz. 1 - Nylon	1	8	1 1/4	3 5/8	11092
395-2N	Sz. 2 - Nylon	2	-	1 1/2	4 1/4	11096
395-3N	Sz. 3 - Nylon	2	15	1 3/4	4 7/8	11100
395-1U	Sz. 1 - Urethane	1	8	1 1/4	3 5/8	11091
395-2U	Sz. 2 - Urethane	2	-	1 1/2	4 1/4	11095
395-3U	Sz. 3 - Urethane	2	15	1 3/4	4 7/8	11099
395-1C	Sz. 1 - Copper	2	-	1 1/4	3 5/8	11093
395-2C	Sz. 2 - Copper	2	15	1 1/2	4 1/4	11097
395-3C	Sz. 3 - Copper	4	4	1 3/4	4 7/8	11101

REPLACEMENT FACES

Osborne No.	UPC No.	Osborne No.	UPC No.	Osborne No.	UPC No.	Osborne No.	UPC No.
395F-1R	11103	395F-1N	11105	395F-1U	11104	395F-1C	11106
395F-2R	11107	395F-2N	11109	395F-2U	11108	395F-2C	11110
395F-3R	11111	395F-3N	11113	395F-3U	11112	395F-3C	11114

RAWHIDE MALLET - With solid head

Osborne No. 196

The head of this light-weight mallet is made entirely of rolled water buffalo rawhide. Handle is white hickory. It is recommended for many jobs where the user wishes to avoid scarring.



Size No.	Length of head (inches)	Diameter of face (inches)	Length of handle(in)	Weight each (oz)	UPC No.
0	2 3/8	1	9	2	11052
1	3 1/8	1 1/4	9	4	11054
2	3 1/4	1 1/2	9 1/4	6	11056
3	3 3/8	1 3/4	10 1/4	8	11058
4	3 1/2	2	10 1/4	10	11060
5	4	2 1/2	11 1/4	16	11062
6	4 1/2	2 3/4	11 1/4	20	11064

POLY MALLET

Osborne No. 496

The strong polymer head is wear resistant and long lasting. The special material absorbs shock and minimizes the mallet bouncing back. Hardwood handle. Ideal for use with our Osborne No. K-157 Mini Punch Set and Osborne thonging chisels. Also used for hammering leather seams and leather tooling.



Length of head (inches)	Diameter of face (inches)	Length of handle (inches)	Weight each (oz)	UPC No.
3 1/2	1 3/4	10	8	11082



OSBORNE


MAULS & MALLETS

RAWHIDE MAULS



Osborne No. 393
Well balanced and built to last. The water buffalo hides are uniquely treated for maximum durability and shock absorbance. Easy to handle, they strike square and deliver controlled dead blows. Used with tarp & sail making, tool & die shops, leather crafting, cutting dies, etc. The laminated heads are specially compressed between 2 brass flanges, connected to a lacquered oak handle by an internal solid steel rod.


Available in 6 sizes.



Replacement parts and rawhide refills are also available.

Osborne No.	Approximate Weight	Head Diameter "A"	Head Length "B"	Overall Length "OAL"	UPC No.
393-1-1/2	1-1/2 lbs.	2-1/2"	1-5/16"	8-1/4"	11008
393-2	2 lbs.	2-3/4"	1-5/8"	8-3/4"	11020
393-3	3 lbs.	3"	1-3/4"	9-1/4"	11022
393-4	4 lbs.	3-5/8"	2-1/4"	10"	11024
393-6	6 lbs.	4"	2-1/4"	10-3/4"	11026
393-8	8 lbs.	4-1/4"	2-1/4"	11"	11028
Rawhide Refills					
393-1-1/2 RR	Rawhide refill for Maul # 1-1/2				11006
393-2 RR	Rawhide refill for Maul # 2				11030
393-3 RR	Rawhide refill for Maul # 3				11032
393-4 RR	Rawhide refill for Maul # 4				11034
393-6 RR	Rawhide refill for Maul # 6				11036
393-8 RR	Rawhide refill for Maul # 8				11038

BARREL SHAPED HICKORY MALLET




All hickory lacquered.

Osborne No. 89.5

Made of hickory, a carefully finished, well balanced, lacquered solid mallet.

Size No.	Diameter of face (inches)	Diameter of head (inches)	Length of handle (inches)	Weight ea (oz)	UPC No.
2 1/2	2 3/8	5 1/2	10 1/2	16	61014
3	2 1/4	5 1/2	10 1/4	12	61016
3 1/2	2	5 1/4	10 1/4	12	61018
4	1 3/4	5	10 1/4	8	61020

HICKORY MALLET



All hickory lacquered.

Osborne No. 90

A serviceable and sturdy mallet, widely used for a variety of purposes.

Size No.	Diameter of face (inches)	Diameter of head (inches)	Length of handle (inches)	Weight ea (oz)	UPC No.
2	2 3/4	5 1/2	10 1/2	18	61032
3	2 1/2	5 1/2	10 1/2	17	61034
4	2	5	10 1/2	14	61036
5	2	4	9	8	61038

BLACK RUBBER MALLET



Rubber mallets can be used without fear of marring metal parts. Limited bounce. Head of solid dense black rubber with white hardwood handle.

Osborne No. 197

Size No.	Diameter of face (inches)	Length of head (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2	2	3 1/4	12	11	61162
3	2 1/2	4 1/2	14	24	61164

WHITE RUBBER MALLET



Extra heavy white rubber mallet will not mar surface. Superior quality. Finest on the market. Limited bounce. White hardwood handle.

Osborne No. 396

Size No.	Diameter of face (inches)	Length of head (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2	2	3 1/4	12	13	61142
3	2 1/2	4 1/2	14	28	61146



SHOE HAMMER



Osborne No. 65

The popular standard type Shoe Hammer. Drop forged steel. Highly polished head. Indispensable in leatherwork. Most useful for making sharp folds, adhering cemented parts together, tapping over hand stitches, lacing, welts, etc.

Length of head (inches)	Diameter of face (inches)	Length of handle (inches)	Weight ea (oz)	UPC No.
5 5/8	1 1/4	9 1/2	14	56124

LEATHER WORKING HAMMER



Osborne No. 66

Popular with the pocket book, belt, shoe, luggage, saddlers and the small leather goods industry. Drop forged steel. Rounded, polished face to prevent marring of leather. Hickory handle.

Length of head (inches)	Diameter of face (inches)	Length of handle (inches)	Weight ea (oz)	UPC No.
5 5/8	1 1/4	9 1/2	14	56124

FITTERS' HAMMER



Osborne No. 1999

Used for pounding seams and smoothing leather. Measures: 1-5/16" face diameter x 4-5/8" overall. Polished face. Made of malleable iron.

Weight ea (oz)	UPC No.
11	56008

SADDLER'S HAMMER



Osborne No. 55

French Saddler's Hammer, oval Walnut Handle riveted through the steel shank. Head and handle are steel, forged in one piece, highly polished. The smooth, blunt end of the hammer is ideal to form leather and drive tacks in hard to reach places.

Length of head (inches)	Diameter of face (inches)	Length of handle (inches)	Weight ea (oz)	UPC No.
7	1/2	10 1/4	16	56142

GLAZIER & PICTURE FRAME HAMMER



Osborne No. 1066 B

Hardwood handle. Forged steel head fully polished. An industry standard. Accurately finished sides and face for square striking.

Length of head (inches)	Face diameter (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
4-1/4"	11/16	12"	6	70042



Osborne magnetic hammers will give long service if properly used and stored. The magnetic end must be used only for setting a tack in place. The striking end is for driving tacks home. The magnetic head should never be left in contact with other steel objects. Should one of our hammers lose its magnetism, we will recharge free it if sent prepaid to the factory.

WOOD HEEL HAMMER



Osborne No. 227

Forged steel, fully polished. Used by saddlers, luggage manufacturers and by the pocket book trade. Fully polished head. Claw on one end.

Length of head (inches)	Diameter of face(inches)	Weight ea (oz)	UPC No.
6 3/8	7/16	10	56132

MAGNETIC TACK HAMMERS



Osborne Nos. 236, 237 & 238

Popular weights and sizes. Forged steel, carefully hardened. Fully polished split head. Best quality hickory handle. Made to U.S. Government specifications.

Osborne No.	Length of head (in)	Weight of head (oz)	Magnetic face (in)	Overall length (in)	Weight ea (oz)	UPC No.
236	3 1/2	4	1/4	11	6	56032
237	4 1/8	5	1/4	11	7	56034
238	4 3/8	7	5/16	10 1/2	11	56036

POPULAR MAGNETIC TACK HAMMER



Osborne No. 222

Forged steel. Fully polished split head. Hickory handle. A versatile hammer used in many leather trades. Made to U.S. Government specifications.

Length of head (inches)	Weight of head (oz)	Magnetic face(inches)	Large face (inches)	Weight ea (oz)	UPC No.
5 1/2	7	5/16	9/16	13	56012

RIVETING HAMMER



Osborne No. 57

Drop forged steel, highly polished head. Hickory handle.

Size No.	Length of head (inches)	Diameter of face (inches)	Weight of head (oz)	Weight each (oz)	UPC No.
000	3	3/8	2 1/2	4	56082
00	3 3/8	3/8	3	4	56084
0	3 5/8	7/16	4	6	56086
1	4	1/2	5	8	56088
2	4 1/4	9/16	7	12	56090
3	4 1/2	5/8	9	14	56092
4	4 3/4	3/4	12	16	56094

RIVETING HAMMER - Octagon head pattern



Osborne No. 62

Standard size 3 Riveting Hammer. Drop forged from fine quality alloy steel. Hardened with polished face and pein.


Length of head (inches)	Face (inches)	Weight of head (oz)	Length of handle (inches)	Weight ea (lbs)	UPC No.
4 7/8	1	12	12	1	56112



COPPER RIVETS

Osborne No. 1700

Copper rivets and burrs. Use with Osborne Nos. 169 & 170. Packed 1 lb. per box.



Size or Number	6	7	8	9	10	12	13	14
Diameter under head (in)	.228	.191	.181	.161	.151	.137	.118	.102
Length overall (in)	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
Number of rivets & burrs per lb.	50	75	90	115	135	170	210	300
Tool to be used	169-1	169-2	170-8	170-9	170-10	169-6	169-7	169-8
UPC No.	67276	67277	67278	67279	67280	67282	67283	67284

RIVET SETTER

Osborne No. 170

Drop forged, polished face. 3 sizes available.



Instructions

Choose the setter with a hole diameter slightly larger than the rivet being set. Sizes for #170 correspond with popular 8, 9 and 10 copper rivets. For other size rivets, use table below to determine proper size of #169 Rivet Setter. Push the rivet through the hole then turn the material over. Place burr on rivet, then use the rivet setting tool's straight hole to drive the burr down tight against the material. Cut the rivet off close to the burr with side or end nippers. Do not cut off flush with the burr, but leave about 1/16 of an inch above the burr. The hole on the side of the rivet setter can be used to dislodge any waste that is wedged into the tool. Place the concave recess of setter on the burr. Hold perpendicular and strike the tool forcefully, turning to the left then right as you strike. This spreads the end of the rivet over the burr, simultaneously rounding its end. A few extra blows from the soft faced mallet can be used to flatten the rivet end a bit, if desired.

Osborne No.	Hole Dia.	Copper Rivet	Rivet Shank Dia.	Weight ea (oz)	UPC No.
170-8	.191	8	.181	5	67252
170-9	.171	9	.161	5	67254
170-10	.161	10	.151	5	67256

RIVET SETTER

Osborne No. 169

Polished face, forged steel. Hardened working end. Similar to Osborne No. 170 but with more sizes. See below:



Osborne No.	Hole Dia.	Copper Rivet	Rivet Shank Dia.	Weight ea (oz)	UPC No.	Osborne No.	Hole Dia.	Copper Rivet	Rivet Shank Dia.	Weight ea (oz)	UPC No.
169-1	.234	6	.228	9	67226	169-7	.125	13	.118	5	67238
169-2	.213	7	.191	9	67228	169-8	.109	14	.102	5	67240
169-6	.141	12	.137	5	67236						

OSBORNE**RIVETS & EYELETS SETTERS****RIVET SETTER****Osborne No. 443**

For use with loose leaf binders. Made of high quality steel. Polished end.

Overall length (inches)	Shank diameter (inches)	Weight ea (oz)	UPC No.
4	3/8	2	67352

RIVET SETTER**Osborne No. 168**

Rivet setter with concave end and knurled handle.

Overall length (inches)	Shank diameter (inches)	Weight ea (oz)	UPC No.
4	1/8	2	67220

EYELET SETTER**Osborne No. 456**

Spreads eyelets so that they can be flattened with a mallet or rawhide hammer. Knurled handle prevents slipping. Nickel plated.

Overall length (inches)	Shank diameter (inches)	Weight ea (oz)	UPC No.
4 3/8	5/16	1	67402

EYELET SETTER**Osborne No. 24-24**

Spreads eyelets so that they can be flattened with a mallet or rawhide hammer. Knurled handle prevents slipping. Nickel plated.

Overall length (inches)	Shank diameter (inches)	Weight ea (oz)	UPC No.
4 3/8	1/4	1	67400

EYELET SETTER**Osborne No. 167**

Knurled handle prevents slipping. Nickel plated. Available in sizes 1/8" and 3/16". Specify when ordering.

Overall length (inches)	Shank diameter (inches)	Weight ea (oz)	UPC No.
4 3/8	1/8	2	67406
4 3/8	3/16	2	67408

EYELET & RIVET ANVIL**Osborne No. 453**

Concave anvil. Used to support eyelets and rivets when being set. UPC No. 67403.

COMBINATION EYELET SETTER**Osborne No. 257**

In addition to its excellent attributes for leather and parchment work, this tool has become highly popular for industrial use. Enables eyelets to be set in paper card without preparation. Pierces material and sets 3/16" and 1/8" eyelets in a single preparation. Please specify size when ordering.

Size (inches)	Throat depth (inches)	Weight ea (oz)	UPC No.
3/16	1 1/4	7	17292
1/4			17293

EYELET REMOVER- Nickel plated**Osborne No. 256**

A sturdy pressed steel eyelet remover pliers. Compact, ruggedly constructed. Fits hand comfortably.

Length (inches)	Throat depth (inches)	Weight each (oz)	UPC No.
7-3/4	1 1/4	7	17290



SNAP SET KIT



**Osborne No. K229-20 (Baby Snaps)
Osborne No. K229-24 (Standard Snaps)**

Includes parts to complete six 5/8" standard nickel plated brass snaps or 1/2" baby snaps along with flaring tool and die. Comes with instructions on back of hang up card 4 3/4" x 5 3/4".

Osborne No.	Weight ea (oz)	UPC No.
K229-20	3	14230
K229-24	3	14232

DURABLE SNAP SETTER



Osborne No. 229

Osborne No. 229-20 - Setting die for #20 Baby Dot snaps.
Osborne No. 229-24 - Setting die for #24 Standard snaps.
Comes with flaring tool and a double-sided die.

Size No.	Weight ea (oz)	UPC No.
20	1	17282
24	2	17284

SNAPS - Caps, Studs, Eyelets and Sockets - Bulk packed individually - Colors listed here.



Osborne No. K4708-11-C

A package of 100, complete 5/8" nickel plated brass snaps.

UPC No. 14235.
Weight: 15 oz.

Osborne No. K4713-16-C

A package of 100, complete 5/8" copper black brass snaps.

UPC No. 14238.
Weight: 15 oz.

Osborne No. K4717-20-C

A package of 100, complete 5/8" shiny brass snaps.

UPC No. 14240.
Weight: 15 oz.

Osborne No. K6708-11-C

A package of 1000, complete 5/8" stainless steel snaps.

UPC No. 14260.
Weight: 15 oz.

ALSO AVAILABLE IN PLATED STEEL AND IN 1/2" DIAMETER AND PACKED IN 1,000 PCS/BOX.

SNAP SETTER - With snaps



Osborne No. K230

An easy to use hand snap set. Snaps are nickel plated brass. Available in standard 5/8" snaps and 1/2" baby snaps. Set comes with 25 complete snaps, flaring tool and two dies (concave and stud).

Osborne No.	Description	UPC No.
K230-20	# 20 Snap set kit	14231
K230-24	# 24 Snap set kit	14228

Osborne No. 230-SET

Setter can be purchased separately, without snaps. Specify size when ordering.



OSBORNE

GROMMETS & DIES

Osborne grommet inserting dies and grommet hole cutters are numbered to correspond with standard size grommets. The dies are guaranteed to set the proper size and style Osborne grommets. Grommet dies and cutters should be used with an Osborne rawhide hammer, wooden mallet or rawhide maul, not with a steel hammer. We also recommend our #395 rawhide hammers for this purpose.

GROMMET INSERTING DIES

Osborne No. 216

Sets plain rim washers and grommets. Sizes 00 thru 5 CNC machined from high grade tool steel, while sizes 6 and up are a malleable iron casting. Properly machined and hardened. The finest industrial grommet die made. For best results use only Osborne grommets and washers.



Size No.	Weight each (lbs)	Weight each (oz)	UPC No.	Size No.	Weight each (lbs)	Weight each (oz)	UPC No.
00	1	6	13212	5	2	10	13224
0	1	6	13214	6	3	15	13226
1	1	7	13216	10	3	10	13232
2	1	7	13218	11	4	15	13234
3	1	9	13220	15	5	15	13236
4	2	8	13222				

Osborne No. 217

Sets spur washers and grommets. Sizes 0 thru 5 CNC machined from high grade tool steel while sizes 6, 7, 8 & 10 are malleable iron castings.

Size No.	Weight each (lbs)	Weight each (oz)	UPC No.	Size No.	Weight each (lbs)	Weight each (oz)	UPC No.
0	1	6	13244	5	2	10	13254
1	1	7	13246	6	3	15	13256
2	1	7	13248	7	4	6	13258
3	1	9	13250	8	5	8	13260
4	2	8	13252	10	7	8	13262

**BRASS PLAIN RIM GROMMETS AND WASHERS
Osborne No. G1**

For best results in setting No. G1 grommets and washers use an Osborne No. 500 hole punch and an Osborne No. 216 setting die with corresponding sizes.



Size No.	Diameter of hole when set (inches)	Outside diameter	Length under flange	UPC No.
00	3/16	3/64	9/64	13012
0	1/4	35/64	11/64	13014
1	9/32	45/64	3/16	13016
2	3/8	23/64	7/32	13018
3	7/16	61/64	19/64	13020
4	1/2	1-1/16	3/8	13022
5	5/8	1-13/64	21/64	13024
6	13/16	1-53/64	15/64	13026
12	1-9/16	2-29/64	3/8	71874
15	2	3-5/32	27/64	71872

Sizes 12 & 15 also in ANTIQUE finished Osborne No. A1-12 & A1-15

Osborne No. N1

Same specifications as above but N1 is NICKEL PLATED.

Osborne No. B1

Same specifications as above but B1 is DULL BLACK.

**BRASS ROLLED RIM GROMMETS AND SPUR WASHERS
Osborne No. G2**

For best results in setting No. G2 spur washers and grommets use an Osborne No. 500 hole punch and an Osborne No. 217 setting die.



Size No.	Diameter of hole when set (inches)	Outside diameter	Length under flange	UPC No.
0	1/4	41/64	11/64	13044
1	5/16	51/64	13/64	13046
2	3/8	57/64	1/4	13048
3	7/16	31/32	1/4	13050
4	9/16	1-1/8	21/64	13052
5	5/8	1-17/64	3/8	13054
6	3/4	1-1/2	27/64	13056
7	15/16	1-23/32	7/16	13058
8	1 1/16	1-29/32	15/32	13060
10	1 1/2	2-23/64	23/64	13062

Osborne No. N2


Same specifications as above but N2 is NICKEL PLATED.

Osborne No. B2

Same specifications as above but B2 is DULL BLACK Sizes 0-4

Sizes 00 to 8 packed in 1 gross boxes. Sizes 10, 12 & 15 packed 20 grommets per box.

GROMMET HOLE CUTTER



**GROMMET HOLE CUTTER SET
Osborne No. K-500**

Composed of 1 each sizes: 00A, 0A, 1A, 2A, 3A and 4A enclosed in a vinyl pouch. UPC No. 01522.

Osborne No. 500

Drop forged, hardened and polished edge. Inside tapered for easy clearance. Use with corresponding grommets and setting dies.

Hole cutter	Hole size	Weight ea (oz)	UPC No.	Hole cutter	Hole size	Weight ea (oz)	UPC No.
00A	3/16	2	51610	4A	1/2	6	51620
0A	1/4	2	51612	5A	5/8	9	51622
1A	9/32	3	51614	6A	3/4	9	51624
2A	3/8	3	51616	7A	7/8	12	51626
3A	7/16	6	51618	8A	1	13	51628

OSBORNE



GROMMET KITS

MIDGET GROMMET DIE



Osborne No. 235

For setting plain rim washers and grommets. For home use or hobbyist.

Size No.	Weight ea (lbs)	UPC No.	Size No.	Weight ea (lbs)	UPC No.
00	1	13272	3	1 1/4	13280
0	1	13274	4	1 1/4	13284
1	1	13276	5	1 3/4	13286
2	1 1/4	13278	6	1 3/4	13288

HOME GROMMET KITS



Osborne No. K235

A complete and affordable kit for consumer use. Each kit consists of a No. 235 grommet die, a No. 245 cutting punch, three dozen brass plain rim grommets and washers, a small cutting board and complete instructions. Sizes 5 and 6 have 18 grommets.

Size No.	Diameter of grommets (inches)	Grommets per Kit	Weight per kit (lbs)	UPC No.
00	3/16	36 ea.	1 1/4	13293
0	1/4	36 ea.	1 1/4	13294
1	9/32	36 ea.	1 1/2	13296
2	3/8	36 ea.	1 3/4	13298
3	7/16	36 ea.	1 3/4	13300
4	1/2	36 ea.	1 3/4	13302
5	5/8	18 ea.	3 1/2	13304
6	13/16	18 ea.	3 3/4	13305

Refills also available Osborne No. G1S for brass grommets and N1S for nickel plated grommets. See below for details.

Osborne No. K232

Same as the K235 series but with plain rim nickel plated grommets. Same sizes and packaging.

SET-IT-YOURSELF GROMMET KIT



Osborne No. K234

Hang up card in an easy to use display box. Comes with plain brass grommets. Complete instructions on back of card. Cards measure: 6 7/8" x 9 3/4". Also available with NICKEL PLATED GROMMETS Osborne No. K231 in same sizes.

Size No.	Weight ea (oz)	Grommets in ea.	UPC No.
00	14	4 dozen	13318
0	14	4 dozen	13320
1	15	4 dozen	13322
2	17	2 dozen	13324
3	18	2 dozen	13326
4	19	2 dozen	13328

GROMMET KIT



Osborne No. K257-00

Kit includes #257 Grommet Setting Plier, #245 Hole Punch and 1 gross of #G1-00 Grommets and Washers. Diameter of hole when set 3/16". Card measures: 11" x 4". Refills also available Osborne No. G1S-00. Kit with NICKEL PLATED Osborne No. K257N-00 also stocked.

GROMMETS REFILLS



Osborne No. G1S

Packed 2 dozen brass plain rim grommets and plain washers per bag. Refills for K234 & K235. Cards and bags measure approximately 4" x 5 1/2".

Size No.	Grommets per bag	UPC No.	Size No.	Grommets per bag	UPC No.
00	24	13000	3	24	13003
0	24	13030	4	24	13004
1	24	13001	5	24	13005
2	24	13002	6	24	13006

Osborne No. N1S

Same as G1S but with NICKEL FINISH grommets.

Osborne No. B1S

Same as G1S but with DULL BLACK grommets.



HAND PRESS MACHINE



Osborne No. W-1

Cuts leather and sets SNAPS, GROMMETS, VENTILATORS and RIVETS. Dies are sold separately. It has a reinforced frame and handle. Bolts to a table for added stability. Comes with a nylon block for cutting holes on the leather. 22" height. Weighs 16 lbs. UPC No. 75000. Some replacement parts are also available.

VENTILATOR DIE & HOLE CUTTER SET



Used to set ventilators of 1" or 3/4" diameter.

Osborne No.	Ventilator size	UPC No.
WDIVC34	3/4"	76300
WDIVC31	1"	76292

GROMMETS DIE & HOLE CUTTER SET

Precision machined dies and hole cutter. Sets plain or spur grommets sizes: 00, 0, 1, 2, 3, 4, 5, 6, 10, 12 & 15.

TO SET PLAIN GROMMETS

Osborne No.	WDIGRC00	WDIGRC0	WDIGRC1	WDIGRC2	WDIGRC3
Grommet size	00 (3/16")	0 (1/4")	1 (9/32")	2 (3/8")	3 (7/16")
UPC No.	75850	75854	75858	75861	75869

Osborne No.	WDIGRC4	WDIGRC5	WDIGRC6	WDIGRC12	WDIGRC15
Grommet size	4 (1/2")	5 (5/8")	6 (13/16")	12 (1-9/16")	15 (2")
UPC No.	75873	75877	75883	75881	75889



TO SET SPUR WASHERS GROMMETS

Osborne No.	WDISGRC0	WDISGRC1	WDISGRC2	WDISGRC3	WDISGRC4
Grommet size	0 (1/4")	1 (5/16")	2 (3/8")	3 (7/16")	4 (9/16")
UPC No.	75831	75835	75837	75839	75841

Osborne No.	WDISGRC5	WDISGRC6	WDISGRC7	WDISGRC8	WDISGRC10
Grommet size	5 (5/8")	6 (3/4")	7 (15/16")	8 (1-1/16")	10 (1-1/2")
UPC No.	75843	75845	75847	75849	75879

RIVETS DIE SET



Osborne No. WDIRI41

Sets: Double End cap rivets & Rapid Rivets. Small cap 3/8" diameter and large cap 1/4". Set composed of 4 pieces.

SNAP DIE SET



Osborne No. WDISN41

4 pcs. set. Used to set 5/8" standard snaps.

SNAP DIE SET




Osborne No. WDISN201

3 pcs. set. Used to set 1/2" baby snaps.



SCRATCH COMPASS



Osborne No. 34

A solid steel multi-purpose, polished scratch compass which includes one point and three scratchers; small, medium and large. For gouging circles or decorative designs or used along the edge for gouging sewing channels, etc.

Max. opening (inches)	Weight ea (oz)	UPC No.
8 1/2	4	07082

Extra scratchers	UPC No.	Extra points	UPC No.
34-1 Small	57084	34-P	07090
34-2 Medium	57086		
34-3 Large	57088		

SCRATCH COMPASS - English Style



Osborne No. 38-C

Polished cutting edge - hardened through to hold sharpness.

Length (inches)	Weight ea (oz)	UPC No.
6 5/8	5	07084

WING DIVIDER - Solid steel - Fully polished



Osborne No. 106

The nuts on the wings are steel. Washers are of turned steel. The points are carefully hardened and every care is taken with the threads of the screws which hold the legs in position on the wings. The springs are carefully tempered and are made for easy adjustment while holding the legs firmly.

Size (inches)	Max. opening (inches)	Weight ea (oz)	UPC No.
6	6	4	57012
8	8	5	57014
10	10	7	57016
12	12	9	57018

Replacement Parts		
Osborne No.	Description	UPC No.
106-B	6" Bar	07022
106-BL	10" or 12" Bar	07024
106-M	8" Bar	07026
106-KN	Knurled nut	07028
106-S	Wing screw	07030
106-SP	Spring	07032

OUTSIDE CALIPER - Fully polished



Osborne No. 112

Fully polished with durable construction.

Size (inches)	Max. opening (inches)	Weight ea (oz)	UPC No.
6	11	2	57062
8	14 1/4	3	57064
10	28 1/4	5	57066



BONE FOLDER

Osborne No. 464

Highly polished genuine cattle bone folder for pasting and folding. Also for burnishing Latrone sheets, lettering, gold leaf etc. 6-1/4" long. UPC No. 67478.



Packed in hang up display plastic bag.

Length (inches)	Weight ea (oz)	UPC No.
6 1/4	1	67478

STRAIGHT BONE FOLDER

Osborne No. 727A

Straight real high polished genuine cattle bone folder for pasting and folding. Also used for burnishing Latrone sheets, lettering gold leaf, etc. Small eye in one end to hang up. Available in 3 lengths. Specify your preference when ordering.



Osborne No.	Length (inches)	Weight ea (oz)	UPC No.
727A/15	6	1	14664
727A/18	7 1/8	2	14666
727A/20	8	2	14668

BENT BONE FOLDER

Osborne No. 727

Bent real high polished genuine cattle bone folder for pasting and folding. Also used for burnishing Latrone sheets, lettering gold leaf, etc. Available in 3 lengths. Specify your preference when ordering.




Osborne No.	Length (inches)	Weight ea (oz)	UPC No.
727/15	6	1	14658
727/18	7 1/8	2	14660
727/20	8	2	14662

SYNTHETIC BONE FOLDER

Osborne No. 465

Similar to our Osborne No. 464 but it is made of polished nylon.



Packed in hang up display plastic bag.

Length (inches)	Weight ea (oz)	UPC No.
6 1/4	1	67484



Made in the traditional manner with the finest grades of steel. Each edge tool is hand edged and tested. Fully polished.

COMMON EDGE TOOL



Osborne No. 125

Easily bevels and rounds off edges of straps and all soft leather. Polished, American hardwood maple handle with brass ferrule.

Size No.	00	0	1	2	3	4	5	6
Width (inches)	3/32	1/8	9/64	5/32	3/16	13/64	7/32	3/8
Weight ea (oz)	1	1	1	1	1	1	1	1
UPC No.	67072	67074	67076	67078	67080	67082	67084	67086

FINEST EDGE TOOL - Drop forged



Osborne No. 126

Drop forged of highest quality steel for long life and effective use. Fully polished, American hardwood maple handle with brass ferrule.

Size No.	0	1	2	3	4	5	6
Width (inches)	1/16	3/32	1/8	5/32	3/16	7/32	1/4
Weight ea (oz)	2	2	2	2	2	2	2
UPC No.	67090	67094	67096	67098	67100	67102	67104

EDGER



Osborne No. 127

Ideal to round the edges of leather, even very fine leather. Use the lower number sizes for lightweight leather and the higher number sizes for heavier leather. Perfect for gouging folds in light leather or trimming excess welts. American hardwood maple handle.



Size No.	1	2	3	4
Width (inches)	1/32	1/16	5/64	3/32
Weight ea (oz)	1	1	2	2
UPC No.	67112	67114	67116	67118

BISSONNETTE EDGE TOOL - Straight shank



Osborne No. 127.5-S

The Bissonnette edge tool can be pushed or pulled to bevel the edges. Works very quickly. Comes with straight shank. Fully polished, American hardwood maple handle with brass ferrule.



- Bent shank

Edge back view



Size No.	00	0	1	2	3	4	5	6
Width (inches)	1/16	5/64	3/32	7/64	9/64	11/64	13/64	7/32
Weight ea (oz)	1	1	1	1	1	1	1	1
127.5-S UPC No.	67143	67144	67146	67148	67150	67152	67142	67156
127.5-B UPC No.	67128	67130	67132	67134	67136	67138	67140	67142

Osborne No. 127.5-B

Same as above but with bent shank.

WESTERN STYLE EDGE TOOL - Straight shank



Osborne No. 133-S

With tips bent up. Best suited for saddlery and similar work. Comes with straight shank. Fully polished, American hardwood maple handle with brass ferrule.



- Bent shank

Edge back view



Size No.	00	0	1	2	3	4
Width (inches)	1/64	1/32	3/64	1/16	7/64	9/64
Weight ea (oz)	1	1	1	1	1	1
133-S UPC No.	67178	67189	67190	67191	67192	67193
133-B UPC No.	67177	67184	67185	67186	67187	67188

Osborne No. 133-B

Same as above but with bent shank.



ADJUSTABLE GOUGE - Patented



Osborne No. 128

Excellent tool for gouging folds, easy adjustment to any depth. The 90° degree or V-shaped gouge is used on notebooks, cases, handbags, where a sharp right angle fold is desired.

Size No.	Blade width (inches)	Weight ea (oz)	UPC No.	Size No.	Blade width (inches)	Weight ea (oz)	UPC No.
1	3/32	4	67172	3	5/32	4	67174
2	1/8	4	67173	90°	(V-shaped)	4	67176

FRENCH EDGE TOOL - Drop forged



Osborne No. 130

Drop forged of specialty steel made in the traditional Osborne high quality. This precision finished tool is for use by the true professional. It is not used for rounding edges, since the bottom is flat. It lends itself for making beveled edges at any desired angle including miter-joints. It gouges, channels and skives. Fully polished, American hardwood handle with brass ferrule.

Size No.	1	2	3	4	5	6	7	8
Width (inches)	1/16	1/8	3/16	1/4	5/16	3/8	7/16	1/2
Weight ea (oz)	1	1	1	1	1	1	1	1
UPC No.	67170	67180	67171	67181	67175	67182	67177	67183

CREASER



Osborne No. 12

Single ticklers. Hardwood handles. Brass ferrule.

Size No.	1	2
Weight ea (oz)	1	1
UPC No.	67010	67012

CREASER



Osborne No. 21

Single edge creasers, hard wood handle, brass ferrule. Will enhance the edges. Place long side of tool against edge of leather as a guide and make impression with short side. Round edges with edge tool before using the creaser.

Size No.	1	2	3	4	5
Width (inches)	1/16	5/64	3/32	7/64	1/8
Weight ea (oz)	1	1	1	1	1
UPC No.	67018	67020	67022	67024	67026

WOOD CREASER



Osborne No. 20-C

Extremely hard plantation tropical wood. Makes creases in four sizes, two edges on each end. Use center for edge guide and make impression with outside edge.

Weight ea (oz)	UPC No.
2	67013

SADDLERS' SEAT STUFFING STEEL



Osborne No. 117

Hand forged of quality steel. Finished blade. Length overall 13 1/4", width at end approximately 1/2".

Weight ea (oz)	UPC No.
4	64186



SHARPENING STONES



Osborne No. 1023

Ultra fine hard Arkansas carving stone used to sharpen Osborne EDGE TOOLS. Measures: 2-1/4" x 7/8" x 3/16".



Osborne No. 1026

India combination coarse/fine bench stone. Should be used with honing or mineral oil for sharpening edge tools and all Osborne KNIVES and PUNCHES. Measures: 6" x 2" x 1".



Osborne No. 1024

Ultra fine hard Arkansas round edge slip stone. Also used to sharpen Osborne EDGE TOOLS. Measures: 3" x 1-3/4" x 1/4" x 1/16".



Osborne No. 1028

This 4000 grit waterstone needs to be soaked with water to cut efficiently. Water also flushes away metal particles to keep the surface from becoming clogged. Immerse stone in water for ten minutes prior to use and keep the stone surface wet while sharpening. For all Osborne KNIVES and PUNCHES Measures: 8" x 3" x 1".



Osborne No. 1025

Ultra fine Arkansas carving tool. Used to sharpen Osborne EDGE TOOLS. Measures: 3" x 3/4" x 1/8".



**Osborne No. 1029
DVD VIDEO**

A seven minute long instruction video demonstrating how to use these stones properly on sharpening Osborne tools. UPC No. 64522. Also available in VHS tape **Osborne No. 1027**.

Video is also available on youtube, search leather tools sharpening.



Osborne No. 1021

Specially contoured stone to sharpen the hooks and edges of the Osborne knives. UPC No. 64512.



CURVED LIP SHOE KNIFE



Osborne No. 81

Made from finest quality chromed vanadium steel. Smooth finished. Comfortable hardwood handle. Cuts nearly every material you will run into.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
2 3/8	5/8	2	60058

SQUARE POINT KNIFE



Osborne No. 76

The finest quality knife with round plantation tropical hardwood handle, brass ferrule. Widely used in many industries. Steel blade. Made to last.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
3 3/4	3/4	2	60042

SQUARE POINT KNIFE



Osborne No. 76 1/2

The white hardwood handle is somewhat shorter and heavier than in the Osborne No. 76. Steel blade.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
3 7/8	5/8	2	60046

SQUARE POINT KNIFE - With safety guard



Osborne No. 77

Same as Osborne No. 76 1/2, but furnished with steel safety guard.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
3 7/8	5/8	2	60050

BROAD POINT KNIFE



Osborne No. 78

Round polished hardwood handle. Steel blade. Also available with safety guard **Osborne No. 78 1/2** UPC No. 60058.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
5	1 1/8	2	60054

BEVEL POINT SKIVING KNIFE



Osborne No. 479

Used for skiving and edge trimming on leather and similar materials. Plated ferrule. Lacquered hardwood handle.

Length of blade (inches)	Weight ea (oz)	UPC No.
3	2	60112

SHARP POINT KNIFE



Osborne No. 79 1/2

White hardwood handle, sharp point knife. A popular knife in the shoe and leather industries. Steel blade.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
3 3/4	3/4	2	60060

SEAM RIPPER



Osborne No. 1020

A handy professional tool also used in craft work. Blade is sharpened on three sides.

Length of blade (inches)	Weight ea (oz)	UPC No.
2 7/8	4	60146



ROUND KNIFE



Osborne No. 70

Forged blade edge made with the highest quality steel . Correct oval shaped American hardwood handle with brass ferrule. The world's leading round knife since 1826.

Overall width across blade (inches)	Weight ea (oz)	UPC No.
5	4	60022

HEAD KNIFE



Osborne No. 71

Forged blade edge made with the highest quality steel . Correct oval shaped American hardwood handle with brass ferrule.

Overall width across blade (inches)	Weight ea (oz)	UPC No.
4 1/2	3	60026

SHEATH - For Osborne round knives



Osborne No. 75

All leather construction with stitched edges and velcro fasteners. Designed for Osborne knives No. 70 & 71.

Length overall (inches)	Width (inches)	Weight ea (oz)	UPC No.
4 13/16	2	2	60188

SHEATH



Osborne No. 74

All leather construction with stitched edges and velcro fastener. For use with Osborne No. 78 & 78 1/2.

Width overall (inches)	Height (inches)	Weight ea (oz)	UPC No.
6	2 1/8	2	60186

SHEATH - For Osborne knives



Osborne No. 72

A sturdy leather sheath for our industrial knives. Slits fit on belt. Stitched edges reinforced with four rivets.

Length overall (inches)	Length of pocket (inches)	Width (inches)	Weight ea (oz)	UPC No.
10	5 1/4	2	3	60184

OSBORNE



KNIVES

THE SKIFE



NICKEL PLATED

Osborne No. 925

Makes a remarkably easy job of skiving leather and other materials. Increases both speed and accuracy. This essential tool is fitted with a special razor blade. Ideal for restoration work. Extra blades available. Weight each 2 oz. UPC No. 60182.

Osborne No. 925-D 20-blade safety dispenser. UPC No. 04113.

Osborne No. 925-100 Bulk pack of 100 blades. UPC No. 10183.

SKIVING KNIFE



Osborne No. 469-A (right hand) or B (left hand)

Extra quality. Our special design for skiving. Plated ferrule.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No. (rh)	UPC No. (lh)
4 1/2	1 1/4	3	60082	60084

SLOYD KNIVES



Osborne No. 6 and 7

The sloyd knives shown are unequalled in quality by any other sloyd knives on the market. The blades are drop forged from the best quality steel. They are carefully hand ground, tempered and highly polished. The oval handles are made of hardwood.

Osborne No.	Length of blade (inches)	Weight ea (oz)	UPC No.
6	2 3/4	2	60012
7	2 1/2	2	60014

LEAD GLASS KNIFE OR HEAD KNIFE



Osborne No. 73

This knife is widely used by stained glass workers and leather workers. It is furnished with hardwood handle, brass ferrule and hand forged blade.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
2	2 1/8	2	60032

HAWKBILL KNIFE




Osborne No. 425

Short blade with sure-grip wood handle. The blade is riveted through the handle.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
2 1/2	1	3	60092

HANDLE & EXTENSION BLADES KIT



Osborne No. K-460

An affordable kit composed of one Osborne A & B Handle and one each of Osborne extension blades No. 259-B, 259-C, 259-L & 259-S. Packed in a hang up display card. Individual parts are also sold separately.

Osborne No. 460

A & B Handle with nickel finished head. For use with replaceable extension blades below.

Osborne No. 259

Carefully ground and tempered blades for cutting leather and similar materials. For use with No. 460 handle.


EXTENSION BLADES



Osborne No.	Description	Length (inches)	Steel gauge	Weight ea (oz)	UPC No.
259-B	Bevel	4 3/4	20	1	67302
259-L	Lance				67306
259-S	Sharp				67308
259-C	Curved				67304



THONGING CHISEL



Osborne Nos. 491, 492, 493 & 494

Chisels are made with carefully tempered spring steel blades. Hand ground cutting edges. Nickel plated. Furnished in two sizes, 3/32" and 1/8".

Osborne No.	Description	Weight ea (oz)	UPC No.	Osborne No.	Description	Weight ea (oz)	UPC No.
491 3/32	One prong	2	53272	493 3/32	Three prong	2	53284
491 1/8	One prong	2	53270	493 1/8	Three prong	2	53282
492 3/32	Two prong	2	53278	494 3/32	Four prong	2	53290
492 1/8	Two prong	2	53276	494 1/8	Four prong	2	53288

8 PRONG THONGING CHISEL



Osborne No. 498

Chisels are made with carefully tempered spring steel blades. Hand ground cutting edges. Nickel plated. Furnished in two sizes, 3/32" and 1/8".

Osborne No.	Description	Weight ea (oz)	UPC No.
498 3/32	Eight prong	3	53302
498 1/8	Eight prong	3	53300

DIAGONAL THONGING CHISEL



Osborne No. 494D

Diagonal blade thonging chisel made with tempered spring steel blades. Each blade is on an angle parallel to each other for neater lacing. Nickel plated. Furnished in two sizes, 3/32" and 1/8".

Osborne No.	Description	Weight ea (oz)	UPC No.
494D 3/32	Four prong	1	53296
494D 1/8	Four prong	1	53294

THONGING CHISEL



Osborne Nos. 481, 483 and 484

Thonging chisels made from high grade tempered tool steel **forged in one piece**. Best possible quality for long life. For making slits in leather for lacing, cutting out designs or slits for pronged hardware and many more applications. Furnished in two sizes, 3/32" and 1/8".

Osborne No.	Description	Weight ea (oz)	UPC No.
481 3/32	One prong	1	53254
481 1/8	One prong	1	53252
483 3/32	Three prong	1	53260
483 1/8	Three prong	1	53258
484 3/32	Four prong	2	53266
484 1/8	Four prong	2	53264

STITCHING CHISEL



Osborne No. 700

This punch is designed for saddle stitching. **Forged in one piece**.

Prongs 3/32" apart. 1/16" width of the prongs.

Description	Weight ea (oz)	UPC No.
Five prong	2	53316

STITCHING CHISEL



Osborne No. 452

Punches the stitching holes in gloves at uniform distances. 1/16" width of prongs. **Forged in one piece**.

Description	Weight ea (oz)	UPC No.
Eight prong	2	63312



PRICKING CHISEL



Osborne No. 609

Forged steel.

Size No.	Cuts per inch	Length of cut (inches)	Length overall (inches)	Weight ea (oz)	UPC No.
7	6	1/8	4 9/16	4	56097
8	7	1/8	4 9/16	4	56098
9	8	5/64	4 9/16	4	56099

PLAIN SWIVEL CUTTER



Osborne No. 444

This plain swivel cutter is furnished with medium blade Osborne No. 2 (3/8" only). Chrome plated. Hardened tool steel blade.

Weight ea (oz)	UPC No.
2	67358

Replacement blade	UPC No.
446-B 2 3/8" blade	67366

ADJUSTABLE SWIVEL CUTTER



446-B 1



446-B 2



446-B 3

Osborne No. 446

The adjustable swivel cutter is furnished with 3 hardened tool steel blades. The length of the cutter may be adjusted with a stop nut to suit the hand size of different users. Most important tool for carving leather. Allows precise cuts for quick and intricate design lines.

Weight ea (oz)	UPC No.
5	17362

Replacement blade	UPC No.
446-B 1 1/4" blade	67364
446-B 2 3/8" blade	67366
446-B 3 1/2" blade	67368

INCISING KNIFE



Osborne No. 487

Made specially for incising and carving work. The 3/4" blade is beveled so that it will cut to the exact depth without going too deep. 4-3/4" overall length. Weighs 1 oz. UPC No. 60180.

BRACELET BENDER - Patented



Osborne No. 630

This patented metal tool is designed especially for bending metal bracelets into shape. A bracelet can be bent in a few seconds without the use of a hammer or mallet. Weighs 5 oz. UPC No. 67702.

ZIPPER JIG

Osborne No. 1014



Holds YKK zippers sliders from # 2.5 to # 10. Lower clamp securely holds zipper jig to your counter. Upper clamp is used for locking jig rod in any direction. Also allows you to put zipper on backwards. Fully nickel plated. 5-1/2" x 4-3/4" size is ideal for your work station. Instructions are also provided. Weighs 6 oz. UPC No. 64506.

ZIPPER STOP PLIER

Osborne No. 1012

Manufactured from high quality drop forged steel. Polished head. Colored vinyl handles for easy gripping. Spring loaded allows quick operation. Designed to install any kind of stop on zippers. Very useful pliers. Light weight (8 ounces) to avoid fatigue. 7-1/4" overall. UPC No. 64508.



ZIPPER STOP TOPS - Stainless



Osborne No. 1013

Made of stainless steel. Size number 10. Packed and sold in boxes of 100 pcs. These are the top stops for the zipper chain and can be set using our zipper stop plier Osborne No. 1012. UPC No. 64500.




All modelers have a white rubber gripping area.

MODELER

Osborne No. 454

Diamond point spoon end and fine point tracer end. Special design.




Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67392

MODELER

Osborne No. 458

One end is equipped with a small "Deer foot" for getting into small places, lettering, etc. The other end can be used as an edge creaser or for double border lines.



Overall length (inches)	Weight ea (oz)	UPC No.
6 1/4	1	67422

MODELER

Osborne No. 467

For beveling edges of light leather to prevent fraying.




Overall length (inches)	Weight ea (oz)	UPC No.
4 1/4	1	67496

MODELER

Osborne No. 471

The best for all around tooling work. One end is narrow and pointed, suitable for line work or tracing, the other end is flattened, suitable for any type of modeling.




Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67512

MODELER

Osborne No. 472

This tool is flat at both ends. Excellent for modeling broad surfaces.




Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67516

MODELER

Osborne No. 473

"Deer foot", for beveling and depressing outlines, getting in small places, fine work, lifting petals, etc.



Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67520




All modelers have a white rubber gripping area.

TRACER

Osborne No. 474



For tracing designs on leather.



Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67524

MODELER

Osborne No. 475



A good all around tool. Excellent for straight line work.



Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67528

MODELER

Osborne No. 476



A double ball end modeler for repousse or embossing.




Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67632

MODELER

Osborne No. 701



A combination bent point and ball end modeler. Useful for stippling.



Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67712

MODELER

Osborne No. 702



"Deer foot" and bent point tracer.



Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67716

TRACER

Osborne No. 704




All ball point tracing stylus, chrome plated. All metal. No white rubber gripping area.



Overall length (inches)	Weight ea (oz)	UPC No.
6 1/2	1	67724



EMBOSSING WHEEL CARRIAGE



Osborne No. 459

Hand embossing wheel carriage (459) with inter-changeable wheels shown here. Excellent for borders, tooling, etc. Can be heated and the design burned into the leather. The carriage is equipped with a thumb screw so that the embossing wheels can be easily changed. Embossing wheels can be ordered as **Osborne No. 459** followed by the pattern style number.

Weight ea (oz)	UPC No.
2	67432

STIPLER



Osborne No. 457

For use in stippling backgrounds.

Length of awls (inches)	Weight ea (oz)	UPC No.
1/2	1	67412

PUSH BEVELER



Osborne No. 447

For tooling leather after carving has been completed.

Length of blade (inches)	Weight ea (oz)	UPC No.
1 7/8	2	67372

DESIGN EDGE LIFTER




Osborne No. 448

Tool used to lift carved areas. Two sizes available.

Osborne No.	Length of blade (inches)	Diameter of stock (inches)	Weight ea (oz)	UPC No.
448-1	2	5/32	1	67382
448-2	2	3/16	1	67384

GASKET CUTTER



Osborne No. 50

Designed for cutting circles, gaskets or washers any size up to and including 24 inches outside diameter. Can be used with bit brace or by hand. Replaceable blades made of the best material and workmanship. Highly polished.

Weight ea (lbs)	UPC No.
1 1/4	18022

Replacement parts		UPC No.
50-B	Extra blade for cutter	18024
50-P	Center pin for cutter	12117
50-R	Gasket cutter rod	18026

Replacement blades also available.

SPACE MARKER



Osborne No. 485

Made in 3 different sizes. For marking leather for stitching.

Osborne No.	Cuts per inch	Weight ea (oz)	UPC No.
485-5	5	2	67642
485-6	6	2	67644
485-7	7	2	67646



CLAW TOOL



Osborne No. 200

Narrow at the point to get under heads of decorative nails and tacks without harming leather, wood or fabric. Drop forged.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3 1/4	7 1/2	3	64220

CLAW TOOL



Osborne No. 202

Sturdy forged steel cobbler's claw tool in a translucent amber handle. Useful also in other professional heavy duty applications.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2 3/4	6 3/4	4	64226

Osborne No. 201

Same as Osborne No. 202 but with hardwood handle. UPC No. 64224, 3 oz.

CLAW TOOL




Osborne No. 122

This claw tool is especially designed for lifting tacks and small nails. Drop forged steel blade and hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2 7/8	7 1/4	3	64204

CLAW TOOL



Osborne No. 123 1/2

Boss claw tool. Drop forged sharp blade. Strong plastic handle. Widely used by luggage manufacturers and saddlers.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2 5/8	7	6	64210

STAPLE REMOVER



Osborne No. 124

Forged from tempered steel. A consistently made Osborne quality product. Carefully hardened for lasting use. 6" overall. 2-1/4" length of blade. Weighs 4 oz. UPC No. 64014

FRENCH CLAW TOOL



Osborne No. 129

Hardwood handle. European style. High quality steel blade. 8-1/2" overall. 4" length of blade. Weighs 6 oz. UPC No. 64228.

STAPLE LIFTER



Osborne No. 120 1/2

The correct angle for removing staples of any size, from the smallest to the longest leg staples. Manufactured from alloy tempered steel. Electronically hardened working ends. Multisided amber plastic handle to keep from rolling.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
4 1/2	6 1/2	4	64006

TACK AND STAPLE REMOVER




Osborne No. 121

Made of forged steel with wooden pinned handle. This tool is manufactured with fine craftsmanship. Carefully milled edges.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2 1/4	6 1/2	2	64010



DRAW GAUGE



Osborne No. 51 1/2

Aluminum handle draw gauge. Used for cutting leather strips. All metal construction. Manufactured with polished head, slide, and 6" blade. Enamelled handle. Cuts straps any width up to 4 inches. Weighs 9 oz. UPC No. 67032.

Replacement parts	51-1/2B	5-1/2GS	51-1/2GL	51-1/2R	51-1/2TSS	51-1/2TS
Description	Extra blade	Small Gib	Large Gib	Rule	Small thumb screw	Large thumb screw
UPC No.	67034	67035	67036	67038	17042	17040

SPLITTING MACHINE




Osborne No. 86

This solid splitting machine is the most professional marketed. It has a sturdy cast iron frame. 6" hollow ground inlaid blade. Easy fine tuning adjustment for even splitting of any thickness of leather. Instruction sheet provided. For the true professional. Weighs 6 lbs. UPC No. 17052.

Replacement parts	86-B	86-BS	86-R	86-SC	86-SP	86-TH
Description	6" Blade	B-adjusting screw	Roler	Screw	Spring	Thumb screw
UPC No.	17054	17055	17056	17058	17060	17062

SPLITTING MACHINE - SKIVER




Osborne No. 86-A

Similar to our C.S. Osborne No. 86 but it has a leverage control roller for easy skiving of leather. Instruction sheet provided. Weighs 7 lbs. UPC No. 17270.

Replacement parts	86-B	86-BS	86-R	86-SC	86-SP
Description	6" Blade	B-adjusting screw	Roler	Screw	Spring
UPC No.	17054	17055	17056	17058	17060

SPLITTING MACHINE



Osborne No. 84








This is the **ORIGINAL OSBORNE 84 Splitting Machine**. Cast iron frame. Made from the original Newark, NJ patterns. Uses a movable twist handle to set blade depth. A locking stop can also be set to return to the same setting. The operator inserts a strap, pushes the handle forward and twists to lock in the position. When pulling leather through, the operator continues to advance the handle forward with the free hand to create a tapered skive. Has a brass round bar across the blade as a safety feature. 8" hollow ground inlaid blade. Instruction sheet provided. Weighs 12 lbs. UPC No. 17038.

Replacement parts	84-B	84-G	84-R	84-SC	84-GB	84-H
Description	8" Blade	Guide	Rollers	Blade screws	Guide bar	Movable handle
UPC No.	17044	17043	17046	17048	17050	17051



DECORATIVE NAILS

Osborne quality steel nails with natural brass finish. Ideal for decorating wooden chests, early frontier items, etc. Please specify length and style.

	No.	Type	Sizes	1M Nails per box UPC No.	1M Nails per box, packed 1C per poly bag	UPC No.	Poly Bag (please designate by using style number + "S")
	680	Oxford Hammered 7/16" diam.	1/2" 5/8" 3/4"	14442 14444 14446	680S	14447 14449 14448	
	681	French Natural Small 3/8" diam.	1/2" 5/8" 3/4"	14452 14454 14456	681S	14457 14459 14458	
	682*	French Natural Regular 7/16" diam.	1/2" 5/8" 3/4"	14462 14464 14466	682S	14467 14469 14468	
	683	Daisy Ornamenta 7/16" diam.l	1/2" 5/8" 3/4"	14482 14484 14486	683S	14487 14489 14488	
	684	Overlap 7/16" diameter	1/2" 5/8" 3/4"	14492 14493 14494	684S	14495 14498 14496	
	685 685SM	Spanish 5/8" diam. Spanish 7/16" diameter	1/2"	14497 13700	250 pcs/box 685SMS	14499 13702	

* Osborne No. 682, also available in nickel plated.

ANTIQUÉ NAIL PLIERS



Osborne No. 601

Hardened steel, top quality. Very convenient size for removing antique nails.

Overall length (inches)	Width (inches)	Weight ea (oz)	UPC No.
7	1 3/4	6	54212

BLUED STERILIZED TACKS



Osborne No. 689

Sharp points and strong, thin oval heads are ideal for attaching all types of leather. Sturdy construction and blued finish to protect against rusting. Sold in 1 lb. boxes. Available in 4 sizes.

OSBORNE No.	DESCRIPTION	UPC No.
689-3	3/8" Length- Blued Sterilized Tacks	14038
689-6	1/2" Length- Blued Sterilized Tacks	14040
689-12	11/16" Length- Blued Sterilized Tacks	14042
689-12C	11/16" Length- Blued Sterilized Tacks-CORRUGATED	14044

TUCK WAX IRON



Osborne No. 68

Used for spreading wax. Hardwood handle. Blade has slight bend and correct rounded end.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3 3/8	7	1	56128

HEEL REMOVER



Osborne No. 799

Wide blade with curved point. Heavy duty tools of hardened steel - plastic handle.

Blade length (inches)	Overall length (inches)	Blade width (inches)	Weight ea. (oz.)	UPC No.
3 3/4	7 1/2	13/16	4	62058



SHOEMAKER'S PINCER



Osborne No. 93

Shoemaker's heel pincers or carpenter's pincers. Forged steel and polished jaws. Cutting edge outside **flush cut**, inside bevel cut.

Length (inches)	Weight ea (oz)	UPC No.
8	13	54112

LASTING PINCER



Osborne No. 233

Drop forged. With box joint and carefully milled teeth. Polished head, black enameled handles. 8 1/2" overall. Width of jaw is 5/16". Weighs 13 oz. UPC No. 54032.

CANTLE PLIER



Osborne No. 10

The forged nickel plated Cantle Plier is used to tightly form the leathers around the perimeter of the cantle of a saddle. The jaws are smooth so they don't mar the leather. They also can be useful for shaping leather handles. 9" overall. 3/4" sidth of jaw. 1-3/4" jaw depth. Weighs 13 oz. UPC No. 52024.

SADDLERS' DUCKBILL PLIER



**Osborne No. 98 (Serrated jaw)
Osborne No. 98-S (Smooth jaw)**

Drop forged from quality tool steel. Polished completely. Jaws are neatly scored inside on the No. 98. Carefully designed to fit the hand.

Length (inches)	Width of jaw (inches)	Weight ea (oz)	UPC No.	UPC No. (smooth jaw)
6 1/2	3/4	5	54016	54018

DUCKBILL PLIER



**Osborne No. DB1 (Serrated jaw)
Osborne No. DB1-S (Smooth jaw)**

Made of cast malleable iron. Extra wide jaws. Special small finger crook. Nickel plated, popular style.

Length (inches)	Width of jaw (inches)	Weight ea (oz)	UPC No.	UPC No. (smooth jaw)
7	1	6	54012	54014

CUTTING NIPPER



Osborne No. 80

Combination cutting nipper for tacks and nails. This nipper cuts tacks and nails in hard to reach places. The extra length and curved front are useful in cutting tack points protruding through an insole when shoemaking and repairing. Made of high quality tool steel. Cuts flush and will leave no upstanding burrs. 8-3/4" red vinyl grips. 12-3/4" overall. UPC No. 54084.

END CUTTING NIPPER



Osborne No. 94

An excellent small nipper. Made of drop forged steel, solid jaws. Black finished handle, polished jaws. Flush cut.

Length (inches)	Weight ea (oz)	UPC No.
6 3/8	7	54122

CUTTING NIPPER



Osborne No. 301

End cutting nipper, compound leverage with spring return.

Length (inches)	Weight ea (oz)	UPC No.
6 1/2	10	54102



DIAGONAL CUTTING NIPPER



Osborne No. 91

This rugged drop forged nipper is ideal for cutting wire, nails, etc. Polished head, vinyl grips.

Length (inches)	Weight ea (oz)	UPC No.
7 3/8	9	54082

DIAGONAL CUTTING NIPPER



Osborne No. 3377

Solid tough nipper for cutting wire, nails, etc. Vinyl grips. The toughest.

Length (inches)	Weight ea (oz)	UPC No.
6 7/8	7	54072

DIAGONAL CUTTING NIPPERS



Osborne No. 299N

Osborne No. 299PG

Osborne No. 299

Compound leverage construction makes for easy operation and cutting hardened wire. The tolerance of the blades are firm enough for cutting soft wire. Return spring is fitted and positive stop provided to facilitate handling. Also available with vinyl grips and carded for display purposes.

Osborne No.	Handle type	Length (inches)	Weight ea (oz)	UPC No.
299N 5-1/2	Nickel finish	5 1/2	5	54062
299N 6-1/2	Nickel finish	6 1/2	6	54063
299PG 5-1/2	Plastic grips	5 1/2	6	54065
299PG 6-1/2	Plastic grips	6 1/2	7	54064

CANVAS OR LEATHER PLIER



Osborne No. 250

Perfectly mating rounded teeth secure no-slip on leather or canvas. Plier is made with hammer jaw, the hammer acts as a lever if a strong pull is required or can be used as a hammer.

Length (inches)	Width of jaw (inches)	Weight ea (oz)	UPC No.
8 1/2	3 3/8	18	54042

Osborne No. 251

Same as Osborne No. 250 but with shorter jaw 1-1/2". UPC No. 54044.

ARTIST CANVAS STRETCHING PLIER



Osborne No. 249

This plier designed for today's trend to the clean line (or "hard edge") look of canvas made taut over three sides of its wooden stretcher frame. Parallel extensions permit pressure to be applied to the inner side of the wooden stretcher. Works also on heavy and primed canvas.

Length (inches)	Width of jaw (inches)	Weight ea (oz)	UPC No.
9	3 3/8	18	54046



CANING CHISEL



Osborne No. 405

The specially designed tool for removing old spline from chairs. Available in two sizes that fit most popular groove sizes.

Osborne No.	Blade length (inches)	Blade width (inches)	Overall Length (inches)	Weight ea (oz)	UPC No.
405 1/8	4	1/8	8	3	53222
405 3/16	4	3/16	8	3	53224

CANING TOOL



Osborne No. 406 - Patent Pending


This caning tool can be used to move individual or multiple canes during any stage of the caning process by hooking one or both pins behind the cane and pulling it into position. This tool makes caning easier with less repetitive motion and lighter finger load.



Length (inches)	Weight ea (oz)	UPC No.
5 1/4	1	64336

CANING NEEDLE

Weaving strands with Osborne No. 407 needle.



Osborne No. 407

Caning needle makes weaving in the strands faster and easier. Snake the needle through the strands, then thread the eye and pull needle back through seat.

Overall length (inches)	Size of eye (inches)	Weight ea (oz)	UPC No.
21	1/8 x 3/32	1	64338



BASKET WEAVING TOOL



Osborne No. 423

Similar to our No. 407 Caning needle, but shorter and with a handle for work in the more confining space of basket weaving.

Overall length (inches)	Size of eye (inches)	Weight ea (oz)	UPC No.
7 3/4	1/8 x 3/32	1	64339

BASKET WEAVING TOOL



Osborne No. 424-S

Spring wire straight blade. Round polished hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3 3/8	7	1	64337



Osborne No. 424-B

Spring wire bent blade. Round polished hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3 1/8	7	1	64335



E-Z CUT LEATHER SHEAR



Osborne No. 708

This shear cuts up to 8 oz. leather with ease. No other like it. Knife edge, chrome plated. Blunt points. Each blade forged of one piece.

Length (inches)	Length of cut (inches)	Weight ea (oz)	UPC No.
8 1/4	3	7	60692

LEATHER OR BELT SHEAR



Osborne No. 8BLTN

Designed for cutting leather, belting, webbing and similar material. Serrated blade prevents leather from slipping.

Length (inches)	Length of cut (inches)	Weight ea (oz)	UPC No.
8 5/8	3 1/8	12	60708

BENT TRIMMER'S SHEARS




Osborne No. 164

Forged steel, enameled handles, polished blades. An inexpensive shear. Ideal for use in class instruction.

Length (inches)	Length of cut (inches)	Weight ea (oz)	UPC No.
8	3 1/2	5	60570

ALUMINUM RULE (inches and metric)



Osborne No. 161

Made of anodized aluminum. One side shows graduation in inches along both edges with measurements also from center of rule. When turned over, the opposite side of the rule has graduations in metric along one side. Hole on one end for hanging display.

Length (inches)	Width (inches)	Thickness (inches)	Weight ea (oz)	UPC No.
60	1 1/4	1/8	8	64092

ALUMINUM STRAIGHT EDGE RULE



Osborne No. 60SE

This is one of the finest measuring rules on the market. Markings on one side only. Heavy wide aluminum. Hole punched on one end for hanging display.

Length (inches)	Width (inches)	Thickness (inches)	Weight ea (oz)	UPC No.
60	2	1/8	26	64082

WOOD RULE



Osborne No. 160

Made from properly dried northern hard maple to meet all state measuring standards. Smooth finished in clear lacquer. Has 1/8" calibrations. Brass ends. Hole punched on both ends for hanging display.

Size No.	Length (inches)	Width (inches)	Thickness (inches)	Weight ea (oz)	UPC No.
5C	60	1 3/4	1/4	12	64086
6C	72	1 3/4	1/4	18	64088

ALUMINUM STRAIGHT EDGE RULER



Osborne No. 802

One edge for standard measurements, one edge for metric. Sturdy and wide - just right for marking selvage edge of cloth. Scales etched in black on silver background, one side only. Finish anodized for permanence. Three lengths available. Hole punched on one end for hanging display.

Length (inches)	Width (inches)	Thickness (inches)	Weight ea (oz)	UPC No.
36	1 1/2	1/8	9	64094
54	1 1/2	1/8	13	64096
60	1 1/2	1/8	15	64098



SEWING PALM



Osborne No. 266

A strong palm with an iron thimble encased in vinyl. Riveted joints. Furnished either in right or left hand. Right hand will be furnished unless otherwise specified.

Osborne No.	Description	Weight ea (oz)	UPC No.
266-RH	Sewing palm - right hand	3	67332
266-LH	Sewing palm - left hand	3	67334

OPEN END THIMBLE



Osborne No. 510

Nickel plated brass thimbles. Coarse grate.

USA Size	Size (inches)	Weight ea (oz)	UPC No.	USA Size	Size (inches)	Weight ea (oz)	UPC No.
13 (00)	51/64	1	67652	10 (2)	43/64	1	67658
12 (0)	21/32	1	67654	9	11/16	1	67660
11 (1)	3/4	1	67656	7	5/8	1	67662

CLOSED END THIMBLE



Osborne No. 511

Nickel plated brass thimbles. Coarse grate.

USA Size	Size (inches)	Weight ea (oz)	UPC No.	USA Size	Size (inches)	Weight ea (oz)	UPC No.
13 (00)	51/64	1	67672	10 (2)	43/64	1	67678
12 (0)	21/32	1	67674	9	11/16	1	67682
11 (1)	3/4	1	67676	7	5/8	1	67680

AUTOMATIC AWL



Osborne No. 413

An excellent tool for sewing leather, canvas and similar materials. The awl carries a spool of waxed polyester black thread on the handle. Hollow handle holds extra curved needle and wrench. Directions furnished with each awl explaining how automatic awl lock stitch can be effected in repair work. Furnished with one straight (Osborne No. 413N 8) and one curved diamond point (Osborne No. 413N 6) needle.


Osborne No.	Description	Weight ea (oz)	UPC No.
413	Automatic awl	3	62142



Osborne No. 413ST
1/4 lb. tube of thread
85 yards



Osborne No. 413R
reel of thread
12½ yards



Replacement parts		
Osborne No.	Description	UPC No.
413N 5	Short straight needle	62192
413N 6	Curved needle	62194
413N 8	Coarse straight needle	62196
413R B	Reels of black thread	62182
413R BR	Reels of brown thread	62184
413R W	Reels of white thread	62186
413ST B	Black thread 1/4 lb. tube	12162
413ST BR	Brown thread 1/4 lb. tube	12164
413ST W	White thread 1/4 lb. tube	12166



LACE CUTTER



Osborne No. 1000

Looks simple and is simple, cuts uniform strips (1/8" to 3/8" wide) of the suede or grain leather of your own choosing. Calibrated fulcrum and knife come with easily followed instruction sheet. Extra blades available separately, **Osborne No. 1003**. Weight each 3/16 oz. UPC No. 67742.

LACING PLIER



Osborne No. 103 1/2

Lacing plier, forged steel. Single joint, polished jaws. Vinyl handle to add comfort to the user. 5-1/2" long. Weighs 3 oz. UPC No. 54022.

LACING NEEDLE



Osborne No. 411 1/2

Split lacing needle with 2 prongs. Tempered spring steel. Lacing may be inserted inside the clip. 2-1/2" long. UPC No. 17342.

FID



Osborne No. 477

Fid or belt awl. Blunt awl for stretching and enlarging holes in leather for easy lacing. Also used for stipling, tightening or loosening knots, etc. Hardwood handle. 2-1/4" long. 5" overall. UPC No. 67336.

LACING AWL



Osborne No. 421

Ideal for lacing small objects. Hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2 1/2	6 3/4	1	62072

COLLAR AWLS



Osborne No. 8

Forged collar awl with hardwood handle. Riveted tang goes completely through the handle for added strength. Sharp cutting edges to punch its own slit. For heavy laces.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
6-1/4	10-1/4	2	62062



Osborne No. 8-B

Forged collar awl with blunted and polished edges to be used on pre-punched leather. Hardwood handle. UPC No. 62064.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
6	10	2	62064

GLUE STICKS



Osborne No. 2000

Hot melt adhesive . Size 1/2" diameter by 10" long. Packed 12 sticks to a box. UPC No. 14636.



Osborne No. 2003 Glue sticks-BULK

Same as Osborne No. 2000 but bulk packed 22 lbs. per box. Each box contains approximately 375 glue sticks. UPC No. 64638.



AWL



Osborne No. 478

Sharp pointed. Tempered blade for piercing leather, sewing and a variety of uses. Hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2	3 7/8	1	62022

HEAVY DUTY SCRATCH AWLS



Osborne No. 4

Made in four sizes for your convenience. Best quality steel blades with rugged amber translucent plastic handles.

Size No.	Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
1	2 1/2	4 1/2	1	62012
2	3 1/2	5 1/2	2	62014

Size No.	Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3	4 1/2	6 3/4	3	62016
4	5 1/2	7 3/4	4	62018

BADMINTON AWL



Osborne No. T-10

Sharp point. Hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
1 1/4	5	1	62032

TENNIS AWL



Osborne No. T-11

Blunt point prevents scratching the leather when aligning, etc. Hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2 1/2	6 1/4	1	62042

ALL PURPOSE BENT AWL



Osborne No. 18

A varied-purpose tool. Great for hard to reach places in leatherwork. Can be used to remove small staples in grooves. Tempered end.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
5 1/2	9 1/2	4 1/2	62052

HAFT WITH AWL INSERTED



Osborne No. 140

Finest quality. Spring steel awl. Sharp end curved end point. AWL ONLY is also available **Osborne No. 140-A** 2-3/8" long. UPC No. 62230.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
1 1/4	4 3/4	1	62228

○ Round point

Osborne No. 140-A

AWL HAFT



Osborne No. 140-H

Made of hardwood. Designed to fit the palm of your hand. Light weight with ring for easy use of thumb for precise stitching. UPC No. 62232.

MOCCASIN AWLS



Diamond point



Osborne No. M32 & M34

Finest quality. Sold by dozen.

No.	Length (inches)	Gauge	UPC No.
M32	3-1/2	10	65200
M34	4	9	65202



OSBORNE

AWL HAFTS & AWLS

AWL HAFT



Osborne No. 141

Hardwood handle, clear lacquer finish, brass chuck designed to hold thinner awls or large needles. Knurled chuck makes it easy to tighten manually. Weighs 2 oz. UPC No. 62208.

PALM AWL HAFT



Osborne No. 142

Designed to fit in the palm of your hand. Comes with chuck and wrench. 4-1/8" long. Weighs 2 oz. UPC No. 62210.

PEG AWL HAFT



Osborne No. 143

A widely used type of awl haft. Comes with chuck and wrench to permit easy changing of blades. Leather tipped to prevent splintering when hammered. Holds all Osborne awls shown below. Weighs 2 oz. UPC No. 62212.

SHOE AWL HAFT



Osborne No. 144

Clear lacquer finish, brass ferrule. Holds awls No. 32, 43, 44 and also needle No. 504-4. Also available with awl No. 43 already inserted Osborne No. 144-43.

SEWING AWL HAFT



Osborne No. 145

A popular sewing awl haft. Widely used by shoemakers. Knobbed end permits easy grasp and prevents slipping. Also made for wrapping thread. Made of hard maple. Varnished. Comes with chuck and wrench. Weighs 2 ounces. Holds all Osborne awls shown below. UPC No. 62224.

SEWING AWL HAFT



Osborne No. 928

A popular sewing awl haft in Europe. Knurled chuck makes it easy to tighten manually. Weighs 2 oz. UPC No. 65150.

Osborne Awl Blades are the finest in the world. Made from the best special steels and each awl is hand worked.

CURVED DOUBLE POINT AWL



Osborne No. 40

Finest quality. 3-1/2" long. UPC No. 62098. Packed and sold by dozen.

CURVED SEWING AWLS



Osborne No. 31

Finest quality.

Size (inches)	2 1/2	3	3 1/2
UPC No.	62082	62084	62086

STABBING AWLS, ROUND POINT



Osborne No. 32

Finest and toughest steel. Available in 2 sizes: 2-1/2" UPC No. 62092 and 3" UPC No. 62094.

SADDLERS' HARNESS AWL



Finest quality. Special thin sizes.

Osborne No.	42	43	44	45	46	47	48	49	50	52
Size (inches)	1 1/2	1 3/4	2	2 1/4	2 1/2	2 5/8	2 3/4	2 7/8	3	3 1/4
UPC No.	62100	62102	62104	62106	62108	62110	62112	62114	62116	62118

SADDLERS' STITCHING AWL



Finest quality.

Osborne No.	54	56	57	58	59
Size (inches)	2	2 1/4	2 1/2	2 3/4	3
UPC No.	62120	62122	62124	62126	62128



OSBORNE NEEDLE GAUGES



OSBORNE needles and pins have long been considered a standard for fine quality. Experience and efficiency in the art of needle making for over one hundred and eighty years have produced the dependable tools well known throughout the trade as **OSBORNE NEEDLES AND PINS**.

The uniform quality of these needles and pins is carefully maintained by the consistent efforts of the skillful craftspeople who make them. All are nickel plated. Papers cannot be broken.

Quotations for special needles upon request.

OSBORNE needles are gauged by the Standard Wire Gauge as illustrated opposite. The gauge sizes are also listed in thousandths of an inch and millimeter sizes in thousandths are also shown.

Actual diameter of wire	English gauge	Decimal equiv. (inch)	Decimal equiv. (mm)
	5	.212	5.385
	5 1/2	.202	5.130
	6	.192	4.877
	7	.176	4.470
	7 1/2	.168	4.267
	8	.160	4.064
	9	.144	3.658
	10	.128	3.251
	11	.116	2.946
	11 1/2	.110	2.794
	12	.104	2.642
	13	.092	2.337
	14	.080	2.032
	15	.072	1.829
	16	.064	1.626
	17	.056	1.422
	18	.048	1.219
	19	.040	1.016
	20	.036	0.914
	21	.032	0.813
	22	.028	0.711
	23	.024	0.610

Curved needles are listed in this catalogue according to length (over all) from eye to point. The bottom lines in the following table of measurements also gives the shortest distance (across) from eye to point.

2	2 1/2	3	3 1/2	4	5	6	7	8	9	10	inches over all
1 1/2	1 3/4	2	2 3/8	2 3/4	3 3/8	4	4 3/4	5 1/4	6	6 3/4	inches across



Osborne leather, upholsterer's and hardware needles have long been considered the world standard for fine quality. These needles are manufactured from the finest wire to Osborne's exacting quality.

HARNESS NEEDLES



Osborne No. 517

Packed 25 needles per paper.

Size No.	000	00	0	1	2	3	4	5	6	7
Length (in)	2 3/8	2 3/8	2 3/8	2 3/8	2 1/4	2 1/8	1 7/8	1 7/8	1 9/16	1 5/8
Gauge	16	17	18	19	19	20	20	21	21	22
UPC No.	15672	15674	15676	15678	15680	15682	15684	15686	15688	15690

GLOVERS' NEEDLES



Osborne No. 518

Packed 25 needles per paper.

Size No.	000	00	0	1	2	3	4	5	6	7
Length (in)	2 5/16	2 1/16	2	1 7/8	1 13/16	1 11/16	1 5/8	1 9/16	1 7/16	1 3/8
Gauge	17	17	18	18	18	19	19	20	20	22
UPC No.	15712	15714	15716	15718	15720	15722	15724	15726	15728	15730

HARNESS NEEDLE - BLUNT POINT Osborne No. 559-5



Length (inches)	Gauge	UPC No.
5	10	15700

Packed 25 needles per paper.

PEARL SEWING NEEDLES Osborne No. 561



Size (mm)	Diameter (mm)	UPC No.
30	0.40	15762
40	0.45	15764

Packed 25 needles per paper.

TAPESTRY NEEDLES - Blunt point Osborne No. 563

Packed 25 needles per paper.

Actual size	Size No.	UPC No.
	13	15842
	14	15844
	16	15846
	18	15848
	20	15850
	22	15852
	24	15854
	26	15856

CHENILLE NEEDLES - Round point Osborne No. 562

Packed 25 needles per paper.

Actual size	Size No.	UPC No.
	13	15768
	14	15770
	16	15772
	18	15774
	20	15776
	22	15778
	24	15780
	26	15782

SMYRNA NEEDLES - Blunt point Osborne No. 565

Packed 25 needles per paper.

Actual size	Size No.	UPC No.
	1	15872
	3	15874

SMYRNA NEEDLES - Round point Osborne No. 564

Packed 25 needles per paper.

Actual size	Size No.	UPC No.
	1	15862
	3	15864

PEARL STRINGING NEEDLES - Sharp point



Osborne No. 560-SP

Packed 25 needles per paper.

Size (mm)	Diameter (mm)	UPC No.
100	0.50	15752
125	0.65	15754
100	0.75	15756

PEARL STRINGING NEEDLES - Blunt point



Osborne No. 560-BP

Packed 25 needles per paper.

Size (mm)	Diameter (mm)	UPC No.
100	0.50	15753
125	0.65	15755
100	0.75	15757

OSBORNE



NEEDLES & PINS

COLLAR NEEDLES - Half moon - Traditional design.



Size overall (inches)	UPC No.
3	15876
5	15878

Osborne No. 92½

Packed 12 needles per package.

CARPET NEEDLES - Round point



Size (in.)	1 7/8	2 1/8	2 1/2	3
Gauge	18	17	17	16
UPC No.	15652	15654	15656	15658

Osborne No. 515

Packed 25 needles per package.

CARPET NEEDLES - 3 Square point



Size (inches)	Gauge	UPC No.
2 - 1/2	17	15666

Osborne No. 516

Packed 25 needles per package.

REGULATOR - With eye



Extra light			Light			Heavy		
Size No.	Gauge	UPC No.	Size No.	Gauge	UPC No.	Size No.	Gauge	UPC No.
6	11	16052	6	9	16032	6	6	16042
8	10	16054	8	9	16034	8	5	16044
10	10	16056	10	8	16036	10	5	16046
			12	7	16038	12	5	16048

Osborne No. 306½

Packed 12 regulators per package.

REGULATOR - With plastic handle **Osborne No. 520**




Length (inches)	6	8	10	12
UPC No.	66062	66064	66066	66068

SILK & BILLARD NEEDLES - Round point

Osborne No. 521-40MM

Size (in.)	Gauge	UPC No.
1 9/16	23	24260

Packed 12 needles per package.



LOOP HEAD PINS



Osborne No. 190

Size (inches)	Gauge	UPC No.
2 1/2	16	15930
3	16	15932
3 1/2	16	15934
4	16	15936

Osborne No. 190S

Special packing 3 dz. to a box		
Size (inches)	Gauge	UPC No.
3	16	15942
3 1/2	16	15944

Packed per gross.

"T" PINS



Osborne No.	Length (inches)	UPC No.	Osborne No.	Length (inches)	UPC No.
189-16	1	15910	189-28	1 3/4	15915
189-20	1 1/4	15912	189-32	2	15916
189-24	1 1/2	15914			

Osborne No. 189

Packed 1/2 lb. to a box.

PLASTIC HEAD PINS



Osborne No.	Color	Length (inches)	Weight per box (oz)	UPC No.
193-B	Blue	2 1/8	4	15962
193-G	Green	2 1/8	4	15970
193-R	Red	2 1/8	4	15964
193-Y	Yellow	2 1/8	4	15966
193-W	White	2 1/8	4	15968

Osborne No. 193

Packed 100 per box.

STRAIGHT PINS


Osborne No. 198



Osborne No.	Length (inches)	UPC No.
198-17	1 1/16	15982
198-20	1 1/4	15984
198-24	1 1/2	15986
198-28	1 3/4	15988
198-32	2	15990

Packed 1 lb. to a box.

GLASS HEAD PINS



Osborne No. 181

Length (inches)	Weight per box (oz)	UPC No.
1 1/4	1	16020

Packed 100 per box.



CURVED 3 SQUARE POINT - 1 dozen needles per package.



Osborne No. 502X Extra light

Size (in.)	2	2 1/2	3	3 1/2	4
Gauge	21	20	19	18	18
UPC No.	15242	15244	15246	15248	15250


Osborne No. 502 1/2 Light

Size (in.)	2	2 1/2	3	3 1/2	4	5	6	7	8
Gauge	19	18	18	17	17	16	16	15	15
UPC No.	15262	15264	15266	15268	15270	15272	15274	15276	15278

Osborne No. 502 Heavy

Size (in.)	2	2 1/2	3	3 1/2	4	5	6	7	8	10
Gauge	17	17	16	16	15	14	14	14	13	13
UPC No.	15292	15294	15296	15298	15300	15302	15304	15306	15308	15310

CURVED ROUND POINT - 1 dozen needles per package.



Osborne No. 513X Cord, extra light

Size (in.)	2	2 1/2
Gauge	23	23
UPC No.	15192	15194

Osborne No. 513 Cord, light

Size (in.)	2	2 1/2
Gauge	19	19
UPC No.	15196	15198

Osborne No. 501X Extra light

Size (in.)	2	2 1/2	3	3 1/2	4
Gauge	21	20	19	18	18
UPC No.	15112	15114	15116	15118	15120


Osborne No. 501 1/2 Light

Size (in.)	2	2 1/2	3	3 1/2	4	5	6	7	8
Gauge	19	18	18	17	16	16	15	15	15
UPC No.	15132	15134	15136	15138	15140	15142	15144	15146	15148

Osborne No. 501 Heavy

Size (in.)	2	2 1/2	3	3 1/2	4	5	6	7	8	10
Gauge	17	17	16	16	15	14	14	14	13	13
UPC No.	15162	15164	15166	15168	15170	15172	15174	15176	15178	15180

CURVED "LEATHER" POINT - 1 dozen needles per package.
Sharp edges.



Osborne No. 503 Light

Size (in.)	2	2 1/2	3	3 1/2	4	5	6	8
Oval ga.	19	19	16	16	15	15	14	13
Flat ga.	23	23	19	19	19	19	17	17
UPC No.	15322	15324	15326	15328	15330	15332	15334	15336

Osborne No. 503 Heavy

Size (in.)	3	4	5	6	7	8
Oval ga.	15	14	13	13	12	12
Flat ga.	18	17	17	17	14	14
UPC No.	15342	15344	15346	15348	15350	15352

CURVED MATTRESS LONG BAYONET POINT

Similar to Osborne No. 503 & 553 but edges are hand polished. Sharp edges.
1 dozen needles per package.



Osborne No. 409

Size (in.)	4	8
Gauge	15	14
UPC No.	15232	15234

LAMPSHADE - ROUND POINT

1 dozen needles per package.



Osborne No. 741

Size (in.)	2	2 1/2	3	3 1/2	4
Gauge	21	21	21	19	19
UPC No.	15212	15214	15216	15218	15220

OSBORNE



NEEDLES

STRAIGHT SINGLE ROUND POINT 12 needles per package.



Osborne No. 504

Size (in.)	4	5	6	8	10	12	14	16	18
Gauge	15	14	14	14	13	13	13	12	12
UPC No.	15362	15364	15366	15368	15370	15372	15374	15376	15378

Osborne No. 554

Size (in.)	6	8	10	12	14	16	18	BOLSTER NEEDLE 24
Gauge	13	13	12	12	12	11	11	11
UPC No.	15386	15388	15390	15392	15394	15396	15398	15400

STRAIGHT DOUBLE ROUND POINT 12 needles per package.



Osborne No. 505

Size (in.)	6	8	10	12	14	16	18	20
Gauge	14	14	13	13	13	12	12	12
UPC No.	15412	15414	15416	15418	15420	15422	15424	15426

Osborne No. 555

Size (in.)	6	8	10	12	14	16	18
Gauge	13	13	12	12	12	11	11
UPC No.	15432	15434	15436	15438	15440	15442	15444

STRAIGHT SINGLE 3 SQ. POINT 12 needles per package.



Osborne No. 506

Size (in.)	6	8	10	12	14	16	18
Gauge	14	14	13	13	13	12	12
UPC No.	15452	15454	15456	15458	15460	15462	15464

Osborne No. 556

Size (in.)	6	7	8	10	12	14	16	18
Gauge	13	13	13	12	12	12	11	11
UPC No.	15472	15473	15474	15476	15478	15480	15482	15484

FLOCKING NEEDLES 12 needles per package.



Osborne No. 514

Size (in.)	6	7	7	8	8	10
Gauge	12	12	11	12	11	11
UPC No.	15632	15634	15636	15638	15640	15642

STRAIGHT DOUBLE 3 SQ. POINT 12 needles per package.



Osborne No. 507

Size (in.)	6	8	10	12	14	16	18
Gauge	14	14	13	13	13	12	12
UPC No.	15492	15494	15496	15498	15500	15502	15504

Osborne No. 557

Size (in.)	6	8	10	12	14	16	18	20
Gauge	13	13	12	12	12	11	11	11
UPC No.	15512	15514	15516	15518	15520	15522	15524	15526

SAILMAKERS' 25 needles per package.



Osborne No. 509

Size (gauge)	9	10	11	12	13	14	15	16	17
Length (in)	4	3 3/4	3 1/2	3 1/4	3	2 3/4	2 1/2	2 3/8	2 1/4
UPC No.	15612	15614	15616	15618	15620	15622	15624	15626	15628

BENT PACK (2 views) 12 needles per package.



Osborne No. 508

Size (in.)	3	3 1/2	4	5	6	7	8	9	10
Gauge	14	13	12	10	9	7	6	5	4
UPC No.	15552	15554	15556	15558	15560	15562	15564	15566	15568

SPRING EYE STRAIGHT PACK (WITH CUTTER) 12 needles per package.



Osborne No. 508-1/2 SE

Size (in.)	4	4 1/2	4	5	5	6	6
Gauge	7	7	8	5	7	5	7
UPC No.	15582	15581	15588	15583	15584	15585	15586



Osborne No. K-1



Each kit contains:	
2 ea.	Curved upholstery needles: 2" & 2½"
1 ea.	Special bent needle for sewing up fowls or wherever sewing with a string is needed.
1 ea.	Awning or canvas needle - (can be used on sails too).
1 ea.	Carpet or very heavy material needle.
12 Kits per box	UPC No. 15012

Osborne No. K-10



Each kit contains 20 Sewing needles, 10 Darners and 1 Threader		
Kits per box	Weight per box (oz)	UPC No.
12	4	15022

Osborne No. K-3



Each card is composed of 4 round point needles in following sizes: 3", 4", 5" & 6".		
Kits per box	Weight per box (oz)	UPC No.
12	6	15014

Osborne No. K-5

STRAIGHT ROUND POINT NEEDLES



Each kit contains 1 ea. of sizes 6", 8", 10" & 12". 12 kits per box. UPC No. 15018. Cards are printed in attractive yellow and blue, and is cellophane covered to protect against rust.

Osborne No. K-4



Each card is composed of 4 diamond point needles in following sizes: 3", 4", 5" & 6".		
Kits per box	Weight per box (oz)	UPC No.
12	6	15016

Osborne No. K-6

STRAIGHT DOUBLE ROUND POINT NEEDLES



Each kit contains 1 ea. of the double round point needles sizes: 10", 12" & 14". Cards are printed in attractive yellow and blue, and is cellophane covered to protect against rust.

Osborne No. K-7



Each card is composed of 4 round point extra light needles in following sizes: 2½", 3", 3½" & 4".		
Kits per box	Weight per box (oz)	UPC No.
12	4	15020

Osborne No. K-11



Each kit contains 25 assorted handsewing needles: 10 ea. #7, 10 ea. #5 5 ea. #3.		
Kits per box	Weight per box (oz)	UPC No.
12	4	15028

Osborne No. K-12




Each kit contains 5 Chenille & 5 Tapestry needles: 1 ea. #18, 2 ea. #20, 2 ea. #22.		
Kits per box	Weight per box (oz)	UPC No.
12	4	15034

Osborne No. K-15



Each kit contains 12 assorted Darners sizes 0/5.		
Kits per box	Weight per box (oz)	UPC No.
12	4	15040

QUALITY



C. S. OSBORNE & COMPANY

125 Jersey Street
Harrison, NJ 07029 – USA
Fax: (973) 484-3621
email: cso@csosborne.com
www.csosborne.com